

US00D696262S

(12) **United States Design Patent**  
**Groene et al.**

(10) **Patent No.:** **US D696,262 S**  
(45) **Date of Patent:** **\*\* Dec. 24, 2013**

- (54) **INPUT DEVICE FOR AN ELECTRONIC TABLET**
- (71) Applicant: **Microsoft Corporation**, Redmond, WA (US)
- (72) Inventors: **Ralf Groene**, Kirkland, WA (US); **Hua Wang**, Sammamish, WA (US); **James Alec Ishihara**, Bellevue, WA (US); **Anthony Reed**, Sammamish, WA (US)
- (73) Assignee: **Microsoft Corporation**, Redmond, WA (US)
- (\*\*) Term: **14 Years**

- D386,754 S 11/1997 Gifford et al.
- 5,793,359 A 8/1998 Ushikubo
- 6,129,270 A 10/2000 Piazza
- 6,312,175 B1 11/2001 Lum
- 6,439,785 B1 8/2002 Liu
- D462,354 S 9/2002 Kimbré
- 6,882,524 B2 4/2005 Ulla
- 6,947,031 B2 9/2005 Sandbach
- D516,080 S 2/2006 Sakamoto et al.
- D517,068 S 3/2006 Sakamoto et al.
- D517,552 S 3/2006 Sakamoto et al.
- D521,513 S 5/2006 Neal et al.
- D522,013 S 5/2006 Sakamoto et al.
- 7,102,614 B2 9/2006 Sandbach
- 7,154,452 B2 12/2006 Nakamura
- D537,831 S 3/2007 Steiner et al.

(Continued)

- (21) Appl. No.: **29/448,269**
- (22) Filed: **Mar. 11, 2013**

**Related U.S. Application Data**

- (63) Continuation of application No. 29/422,122, filed on May 16, 2012, now Pat. No. Des. 678,300.
- (51) **LOC (9) Cl.** ..... **14-02**
- (52) **U.S. Cl.**  
USPC ..... **D14/455**
- (58) **Field of Classification Search**  
USPC ..... D14/240, 391-399, 443, 455, 456, 433;  
D18/1, 2, 7, 11; 178/17 A, 17 C;  
200/5 A, 5 R, 6 A, 6 R; 235/145 A, 145 R;  
341/20-23; 345/156, 160, 168, 169,  
345/173, 700; 361/679.08, 679.09;  
400/484-489, 492, 472; D13/123, 133  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D319,632 S 9/1991 Heimburger
- D365,334 S 12/1995 Peart

**FOREIGN PATENT DOCUMENTS**

EM 001911983 2/2011

*Primary Examiner* — Freda S Nunn

(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.

(57) **CLAIM**


The ornamental design for an input device for an electronic tablet, as shown and described.

**DESCRIPTION**

FIG. 1 is a top isometric view of an input device for an electronic tablet showing our new design;  
FIG. 2 is a top view thereof;  
FIG. 3 is a left side view thereof;  
FIG. 4 is a right side view thereof;  
FIG. 5 is a rear view thereof; and,  
FIG. 6 is a front view thereof.

The broken line showing of various features on the input device for an electronic tablet is for environmental purposes only and forms no part of the claimed design.

**1 Claim, 3 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D544,490 S 6/2007 O'Neil  
D544,862 S 6/2007 Amiri  
7,342,776 B1 3/2008 Chan  
D567,240 S 4/2008 Griffin  
7,440,267 B2 10/2008 Tatsukami  
D584,304 S 1/2009 Lin  
D603,398 S 11/2009 Watson  
D638,833 S 5/2011 Chuang  
D638,836 S 5/2011 Daniel  
D650,380 S 12/2011 Ballout  
D653,665 S 2/2012 Maruyama

D658,186 S 4/2012 Akana et al.  
D658,187 S 4/2012 Diebel  
D658,188 S 4/2012 Diebel  
D659,139 S 5/2012 Gengler  
D663,304 S 7/2012 Akana et al.  
D669,069 S 10/2012 Akana et al.  
D669,468 S 10/2012 Akana et al.  
D670,286 S 11/2012 Akana et al.  
D678,300 S \* 3/2013 Groene et al. .... D14/455  
2005/0052831 A1 3/2005 Chen  
2007/0097087 A1 5/2007 Homer  
2012/0140396 A1 6/2012 Zelif  
2012/0194448 A1 8/2012 Rothkopf

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6