

US00D696279S

(12) **United States Design Patent**
Bortman et al.

(10) **Patent No.:** **US D696,279 S**
(45) **Date of Patent:** **** Dec. 24, 2013**

(54) **PORTION OF A DISPLAY PANEL WITH A
TRANSITIONAL GRAPHICAL USER
INTERFACE**

D684,992 S * 6/2013 Wenz et al. D14/488
D684,993 S * 6/2013 Wenz et al. D14/488
D684,996 S * 6/2013 Wenz et al. D14/495
2004/0233235 A1 * 11/2004 Rubin et al. 345/738
2008/0059894 A1 * 3/2008 Cisler et al. 715/762

(75) Inventors: **Rebecca Bortman**, San Francisco, CA
(US); **Eunkyung Chung**, San Mateo,
CA (US)

* cited by examiner

(73) Assignee: **Google Inc.**, Mountain View, CA (US)

Primary Examiner — Richard E Chilcot

(74) *Attorney, Agent, or Firm* — Leason Ellis LLP

(**) Term: **14 Years**

(21) Appl. No.: **29/407,757**

(22) Filed: **Dec. 1, 2011**

(57) **CLAIM**

The ornamental design for portion of a display panel with a transitional graphical user interface, as shown and described.

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/406,988,
filed on Nov. 21, 2011, now abandoned.

(51) **LOC (9) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/486**

(58) **Field of Classification Search**
USPC D14/485–45; 715/700–867, 973–977
See application file for complete search history.

DESCRIPTION

FIG. 1 is a front view of a portion of a display panel with a transitional graphical user interface showing a first image in a sequence according to a first embodiment of my new design, wherein the stippling is used to show relative degrees of shading throughout the interface;

FIG. 2 is a front view of a second image in the sequence of the first embodiment;

FIG. 3 is a front view of a third image in the sequence of the first embodiment;

FIG. 4 is a front view of a portion of a display panel with a transitional graphical user interface showing a first image in a sequence according to a second embodiment of my new design, wherein the stippling is used to show relative degrees of shading throughout the interface;

FIG. 5 is a front view of a second image in the sequence of the second embodiment;

FIG. 6 is a front view of a third image in the sequence of the second embodiment;

FIG. 7 is a front view of a portion of a display panel with a transitional graphical user interface showing a first image in a sequence according to a third embodiment of my new design, wherein the stippling is used to show relative degrees of shading throughout the interface;

FIG. 8 is a front view of a second image in the sequence of the third embodiment;

FIG. 9 is a front view of a third image in the sequence of the third embodiment;

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,184,879 B1 * 2/2001 Minemura et al. 715/723
D453,166 S * 1/2002 Ordning D14/486
D527,388 S * 8/2006 McDougall et al. D14/485
D529,037 S * 9/2006 Koch et al. D14/486
D537,834 S * 3/2007 Agarwal et al. D14/486
D582,932 S * 12/2008 Blankenship et al. D14/485
D589,527 S * 3/2009 Shamma D14/486
D589,528 S * 3/2009 Koh D14/486
D605,200 S * 12/2009 Sakai D14/486
D648,734 S * 11/2011 Christie et al. D14/486
D664,969 S * 8/2012 Williams et al. D14/486
D665,396 S * 8/2012 Williams et al. D14/486
D665,405 S * 8/2012 Williams et al. D14/487
D682,262 S * 5/2013 Akana et al. D14/341
D682,843 S * 5/2013 Friedlander et al. D14/485
D682,844 S * 5/2013 Friedlander et al. D14/485
D682,857 S * 5/2013 Friedlander et al. D14/486




FIG. 10 is a front view of a portion of a display panel with a transitional graphical user interface showing a first image in a sequence according to a fourth embodiment of my new design, wherein the stippling is used to show relative degrees of shading throughout the interface;

FIG. 11 is a front view of a second image in the sequence of the fourth embodiment;

FIG. 12 is a front view of a third image in the sequence of the fourth embodiment;

FIG. 13 is a front view of a portion of a display panel with a transitional graphical user interface showing a first image in a sequence according to a fifth embodiment of my new design, wherein the stippling is used to show relative degrees of shading throughout the interface;

FIG. 14 is a front view of a second image in the sequence of the fifth embodiment;

FIG. 15 is a front view of a third image in the sequence of the fifth embodiment;

FIG. 16 is a front view of a portion of a display panel with a transitional graphical user interface showing a first image in a

sequence according to a sixth embodiment of my new design, wherein the stippling is used to show relative degrees of shading throughout the interface;

FIG. 17 is a front view of a second image in the sequence of the sixth embodiment; and,

FIG. 18 is a front view of a third image in the sequence of the sixth embodiment.

The subject matter in this patent includes a process or period during which a user interface component sequentially transitions between images shown in the respective embodiments. This process or period in which one image transitions into another forms no part of the claimed design.

The broken lines including the showing of a portion of a display panel of a communications terminal surrounding the illustrated user interface are included for the purpose of illustrating environmental structure and form no part of the claimed design.

1 Claim, 18 Drawing Sheets




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6





Fig. 8






Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 17

