

US00D696621S

(12) **United States Design Patent**  
**Harvey et al.**

(10) **Patent No.:** **US D696,621 S**

(45) **Date of Patent:** **\*\* Dec. 31, 2013**

(54) **TIRE**

(75) Inventors: **Delwyn Lovell Harvey**, North Canton, OH (US); **Charles Joseph Ashton**, Cuyahoga Falls, OH (US); **Shannon Joseph Hughes**, Rootstown, OH (US)

(73) Assignee: **The Goodyear Tire & Rubber Company**, Akron, OH (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/411,070**

(22) Filed: **Jan. 17, 2012**

(51) **LOC (9) Cl.** ..... **12-15**

(52) **U.S. Cl.**  
USPC ..... **D12/516**

(58) **Field of Classification Search**  
USPC ..... D12/505–532, 900–901;  
152/209.1–209.9, 209.11–209.19,  
152/209.21–209.28, 455  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D365,793 S *	1/1996	Scarpitti et al. ....	D12/516
D390,817 S *	2/1998	Graas et al. ....	D12/516
D469,396 S	1/2003	Hutson et al. ....	D12/520
D473,513 S	4/2003	Welbes ....	D12/588
D497,143 S *	10/2004	Lee et al. ....	D12/515
D524,720 S *	7/2006	Dumigan ....	D12/516
D524,721 S *	7/2006	Dumigan et al. ....	D12/516
D554,056 S	10/2007	Allison et al. ....	D12/601
D600,193 S	9/2009	Nukala et al. ....	D12/521
D606,926 S	12/2009	Heinen et al. ....	D12/521
D626,496 S *	11/2010	Fraenkel et al. ....	D12/516

D635,911 S	4/2011	Sieber et al. ....	D12/521
D639,719 S	6/2011	Harvey et al. ....	D12/521
D647,027 S *	10/2011	Fujioka ....	D12/516
D647,458 S *	10/2011	Bauer et al. ....	D12/532
D687,367 S *	8/2013	Kawasaki ....	D12/532

\* cited by examiner

*Primary Examiner* — Stacia Cadmus

(74) *Attorney, Agent, or Firm* — Richard B. O’Planick

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof;

FIG. 4 is a left side elevational view thereof;



FIG. 5 is an enlarged fragmentary front elevational view thereof;

FIG. 6 is a perspective view of a second embodiment of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread; and,

FIG. 7 is a front elevational view of a second embodiment, it being understood that an enlarged fragmentary view thereof would be substantially identical to that shown in FIG. 5 with the exception of the inclusion of the sidewall in solid lines.

In the drawings, the broken lines showing of the sidewall, inner bead and the peripheral boundary between the tire tread and the sidewall in FIGS. 1 through 5 depict environmental subject matter and form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**








FIG-1




FIG-2






FIG-3




FIG-4




FIG-5






FIG-6




FIG-7