



US00D696706S

(12) **United States Design Patent**  
**Inoue et al.**

(10) **Patent No.:** **US D696,706 S**

(45) **Date of Patent:** **\*\* Dec. 31, 2013**

(54) **DIGITAL VIDEO CAMERA**

D505,684 S \* 5/2005 Gotham et al. .... D16/202  
D574,027 S \* 7/2008 Miyazaki ..... D16/202  
D589,547 S \* 3/2009 Yamada et al. .... D16/202

(75) Inventors: **Manabu Inoue**, Yokohama (JP);  
**Hiroyuki Kimura**, Nishi Tokyo (JP);  
**Masaaki Igarashi**, Tokyo (JP)

**OTHER PUBLICATIONS**

(73) Assignee: **Canon Kabushiki Kaisha**, Tokyo (JP)

Canon. Professional quality and flexibility for single shooters—  
Canon unveils the EOS C100. Aug. 29, 2012 [online], [retrieved on  
Nov. 13, 2012]. Retrieved from the Internet <URL: [http://www.canon-europe.com/About\\_Us/Press\\_Centre/Press\\_Releases/Consumer\\_News/Digital\\_Cinema/Canon\\_unveils\\_the\\_EOS\\_C100.aspx](http://www.canon-europe.com/About_Us/Press_Centre/Press_Releases/Consumer_News/Digital_Cinema/Canon_unveils_the_EOS_C100.aspx)>.\*

(\*\*) Term: **14 Years**

Graphic Speak. New digital video cameras take the stage at NAB.  
May 11, 2012 [online], [retrieved on Nov. 13, 2012]. Retrieved from  
the Internet <URL: <http://gfxspeak.com/2012/05/11/new-digital-video-cameras-take-the-stage-at-nab/>>.\*

(21) Appl. No.: **29/417,793**

(22) Filed: **Apr. 9, 2012**

\* cited by examiner

(30) **Foreign Application Priority Data**

Oct. 28, 2011 (JP) ..... 2011-024923

*Primary Examiner* — Philip S Hyder

(51) **LOC (9) Cl.** ..... **16-01**

*Assistant Examiner* — Darlington Ly

(52) **U.S. Cl.**

(74) *Attorney, Agent, or Firm* — Fitzpatrick, Cella, Harper & Scinto

USPC ..... **D16/202**

(58) **Field of Classification Search**

(57) **CLAIM**

USPC ..... D16/200–209, 216–218; 348/373–376;  
352/242, 243; 358/906; 396/176, 177,  
396/535–543, 354–355

The ornamental design for a digital video camera, as shown  
and described.

See application file for complete search history.

**DESCRIPTION**

(56) **References Cited**

FIG. 1 is a front view of a digital video camera showing our  
new design;

**U.S. PATENT DOCUMENTS**

4,623,931 A \* 11/1986 Inaga et al. .... 348/357  
4,928,179 A \* 5/1990 Takahashi et al. .... 348/211.2  
D331,935 S \* 12/1992 Tanaka ..... D16/202  
D342,751 S \* 12/1993 Kurokawa et al. .... D16/202  
D356,588 S \* 3/1995 Kataoka ..... D16/202  
5,767,906 A \* 6/1998 Toyofuku et al. .... 348/375  
D407,729 S \* 4/1999 Fukushima ..... D16/202  
D438,552 S \* 3/2001 Sumita ..... D16/202  
D449,327 S \* 10/2001 Haga ..... D16/217  
6,434,325 B1 \* 8/2002 Noda et al. .... 386/358

FIG. 2 is a rear view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;


FIG. 5 is a left side view thereof;

FIG. 6 is a right side view thereof; and,

FIG. 7 is a front perspective view where the finder is tilted  
thereof.

The broken lines shown in the drawings illustrate portions of  
the digital video camera that form no part of the claimed  
design.

**1 Claim, 7 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7