



US00D696784S

(12) **United States Design Patent**
Ibrahim et al.

(10) **Patent No.:** **US D696,784 S**

(45) **Date of Patent:** **** Dec. 31, 2013**

(54) **ORTHOPEDIC SUPPORT DEVICE**

(71) Applicants: **Tamer Ibrahim**, Boonton, NJ (US);
David Christian Mueller, Chatham, NJ (US)

(72) Inventors: **Tamer Ibrahim**, Boonton, NJ (US);
David Christian Mueller, Chatham, NJ (US)

(73) Assignee: **TD Footstrips LLC**, Boonton, NJ (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/449,833**

(22) Filed: **Mar. 15, 2013**

(51) **LOC (9) Cl.** **24-01**

(52) **U.S. Cl.**
USPC **D24/192; D24/190**

(58) **Field of Classification Search**
USPC D24/189-192; D29/100, 101.3, 120.1;
D2/896, 897, 916; 602/5, 19-20, 26,
602/41, 54, 60-63, 65, 74; 128/100.1, 876,
128/892, 894; 2/24, 162, 455
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D239,981 S *	5/1976	Arluck	D24/190
D242,955 S *	1/1977	Arluck	D24/190
4,534,342 A *	8/1985	Pexa	602/74
D307,184 S *	4/1990	McConnell	D24/190
D385,356 S *	10/1997	Fabricant	D24/189
D470,592 S *	2/2003	Dunshee	D24/189
D471,985 S *	3/2003	Dunshee et al.	D24/189
7,004,917 B2 *	2/2006	Henderson et al.	602/5
7,091,394 B2 *	8/2006	Kolte et al.	602/42
7,329,232 B2 *	2/2008	Lipshaw et al.	602/61
D604,424 S *	11/2009	Coubetergues	D24/189
D608,006 S *	1/2010	Avitable et al.	D24/190

D612,505 S *	3/2010	Arbesman et al.	D24/190
D613,414 S *	4/2010	Arbesman et al.	D24/190
D613,415 S *	4/2010	Arbesman et al.	D24/190

(Continued)

Primary Examiner — Susan E Krakower

(74) *Attorney, Agent, or Firm* — Hoxie & Associates LLC



(57) **CLAIM**

The ornamental design for an orthopedic support device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an orthopedic support device showing our new design;
 FIG. 2 is a top view of the device of the present design;
 FIG. 3 is right side view of the device of the present design;
 FIG. 4 is a left side view of the device of the present design;
 FIG. 5 is a top view of the device of the present design;
 FIG. 6 is a bottom view of the device of the present design;
 FIG. 7 is a front view of the device of the present design showing the flexible support members adhered to the foot;
 FIG. 8 is a back view of the device of the present design showing the flexible support members adhered to the foot;
 FIG. 9 is a medial side view of the device of the present design showing the flexible support members adhered to the right foot;
 FIG. 10 is a lateral side view of the device of the present design showing the flexible support members adhered to the right foot;
 FIG. 11 is a top view of the device of the present design showing the flexible support members adhered to the foot;
 and,
 FIG. 12 is a bottom view of the device of the present design showing the body portion adhered to the foot.
 The broken lines showing a foot in FIGS. 7-12 illustrate environmental structure form no part of the claimed design.

1 Claim, 10 Drawing Sheets



US D696,784 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

D621,518 S * 8/2010 Arbesman et al. D24/189
D639,964 S * 6/2011 Kase D24/190
D651,710 S * 1/2012 Brogden et al. D24/135

RE43,195 E * 2/2012 Cotton D24/189
D668,342 S * 10/2012 Hilaire D24/192
D674,099 S * 1/2013 Nichols D24/190
2008/0319365 A1* 12/2008 Kendrick 602/19
2010/0016771 A1* 1/2010 Arbesman et al. 602/5

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12