



US00D696791S

(12) **United States Design Patent**  
**Taylor**

(10) **Patent No.:** **US D696,791 S**

(45) **Date of Patent:** **\*\* Dec. 31, 2013**

(54) **FLOOD CONTROL BARRIER**

2013/0071188 A1 3/2013 Taylor

(75) Inventor: **Jaren Taylor**, Logan, UT (US)

\* cited by examiner

(73) Assignee: **Muscle Wall, LLC**, Logan, UT (US)

*Primary Examiner* — Doris Clark

(74) *Attorney, Agent, or Firm* — Workman Nydegger

(\*\*) Term: **14 Years**

(57) **CLAIM**

The ornamental design for a flood control barrier, as shown and described.

(21) Appl. No.: **29/423,388**

**DESCRIPTION**

(22) Filed: **May 31, 2012**

**Related U.S. Application Data**

(63) Continuation-in-part of application No. 12/623,172, filed on Nov. 20, 2009, now Pat. No. 8,313,265.

FIG. 1 is a perspective view of a flood control barrier, shown broken away in the middle to indicate indeterminate length; FIG. 2 is a front elevational view of the flood control barrier shown in FIG. 1, shown broken away in the middle to indicate indeterminate length;

(51) **LOC (9) Cl.** ..... **25-02**

FIG. 3 is a back elevational view of the flood control barrier shown in FIG. 1, shown broken away in the middle to indicate indeterminate length;

(52) **U.S. Cl.**

USPC ..... **D25/38.1**

FIG. 4 is a left side elevational view of the flood control barrier shown in FIG. 1;

(58) **Field of Classification Search**

USPC ..... D25/38.1, 58, 119; 405/15, 107, 62, 19, 405/21, 272; 49/9; 256/13

FIG. 5 is a right side elevational view of the flood control barrier shown in FIG. 1;

See application file for complete search history.

FIG. 6 is a top plan view of the flood control barrier shown in FIG. 1, shown broken away in the middle to indicate indeterminate length;

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D385,362 S	10/1997	Rossetti	
D400,264 S *	10/1998	Striefel et al. ....	D25/38.1
6,059,491 A *	5/2000	Striefel et al. ....	405/111
D479,883 S *	9/2003	Gresham et al. ....	D25/58
6,672,800 B2 *	1/2004	Frank .....	405/115
6,840,711 B1	1/2005	Martinez	
D533,281 S	12/2006	Christensen	
D552,250 S	10/2007	Christensen	
7,364,385 B1	4/2008	Luke	
D569,992 S	5/2008	Christensen	
D572,374 S *	7/2008	Gibbs .....	D25/119
7,445,403 B2	11/2008	Williams	
D631,977 S	2/2011	Taylor	
D634,443 S	3/2011	Taylor	
7,931,422 B2	4/2011	Kulp	
8,313,265 B2	11/2012	Taylor	
2012/0315093 A1	12/2012	Taylor	


FIG. 7 is a bottom plan view of the flood control barrier shown in FIG. 1, shown broken away in the middle to indicate indeterminate length;

FIG. 8 is a right side elevational view of the flood control barrier shown in FIG. 1; with a phantom elevational view of a second flood control barrier interlocked in a storage position; and,

FIG. 9 is a perspective view of the flood control barrier shown in FIG. 1, shown broken away in the middle to indicate indeterminate length, with a phantom perspective view of a second flood control barrier interlocked in a use position, shown broken away in the middle to indicate indeterminate length.

The broken lines shown in the figures are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 9 Drawing Sheets**






Fig. 1




Fig. 2






Fig. 3



*Fig. 4*



*Fig. 5*




Fig. 6





Fig. 7





*Fig. 8*




Fig. 9