



US00D696845S

(12) **United States Design Patent**
Weaver, II et al.

(10) **Patent No.:** **US D696,845 S**
(45) **Date of Patent:** **** Jan. 7, 2014**

(54) **ARCH SUPPORT**

(71) Applicant: **3M Innovative Properties Company**,
St. Paul, MN (US)

(72) Inventors: **Edward L. Weaver, II**, Milford, OH
(US); **Beth E. Gramza**, Cincinnati, OH
(US); **Sherry A. Hinds**, Goshen, OH
(US)

(73) Assignee: **3M Innovative Properties Company**,
St. Paul, MN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/441,613**

(22) Filed: **Jan. 8, 2013**

(51) **LOC (10) Cl.** **02-04**

(52) **U.S. Cl.**
USPC **D2/961**

(58) **Field of Classification Search**
USPC D2/896, 914, 946-962, 969-976;
36/83, 88, 89, 91, 92, 93, 94, 136, 138,
36/43, 44, 45, 54, 69, 71, 100, 101, 145,
36/154, 173
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,154,997	A *	4/1939	Schipper	36/166
2,286,495	A *	6/1942	Matteson	36/153
2,878,593	A *	3/1959	Lockridge	36/169
2,904,814	A *	9/1959	Scholl	15/244.1
2,917,846	A *	12/1959	Scholl	36/145
2,961,781	A *	11/1960	Scholl	36/181
3,084,695	A *	4/1963	O'Donnell	36/174
4,686,994	A *	8/1987	Harr	
D297,980	S *	10/1988	Sugiyama	D2/961
D300,084	S *	3/1989	Ito et al.	D2/961
D300,085	S *	3/1989	Ito et al.	D2/961

D336,718	S *	6/1993	Schroer, Jr.	D2/961
D341,022	S *	11/1993	Zona	D2/961
D351,496	S *	10/1994	Brown	D2/961
D351,719	S *	10/1994	Piotrowicz	D2/961
D353,259	S *	12/1994	Schroer, Jr.	D2/961
5,611,153	A	3/1997	Fisher	
D380,290	S *	7/1997	Nakagawa	D2/961
D384,797	S *	10/1997	Nakagawa	D2/961
D396,341	S *	7/1998	Lozano et al.	D2/961
D429,409	S *	8/2000	Gillespie	D2/954
6,315,786	B1	11/2001	Smuckler	

(Continued)

FOREIGN PATENT DOCUMENTS

GB	2 458 282	A	9/2009
WO	91/07152		5/1991

Primary Examiner — Elizabeth J Oswecki

(74) *Attorney, Agent, or Firm* — Irina Hass



(57) **CLAIM**

The ornamental design for an arch support, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an arch support showing our new design;
FIG. 2 is a top view thereof;
FIG. 3 is a bottom view thereof;
FIG. 4 is a front view thereof;
FIG. 5 is a rear view thereof;
FIG. 6 is a right side view thereof;
FIG. 7 is a left side view thereof;
FIG. 8 is a top view thereof showing the arch support which is partially inserted into a foot strap; and,
FIG. 9 is a perspective view thereof showing the arch support which is fully inserted into the foot strap.
The broken lines in the drawings illustrating a foot strap in FIGS. 8 and 9 form no part of the claimed design.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D475,184 S *	6/2003	Polifroni	D2/961	D632,881 S *	2/2011	Rosenberg	D2/961
D531,790 S *	11/2006	Wurzberg	D2/961	D641,146 S *	7/2011	Cappaert et al.	D2/961
D570,488 S *	6/2008	Kirksey et al.	D24/189	D655,076 S *	3/2012	Rosenberg	D2/961
D571,989 S *	7/2008	Siegal	D2/961	D663,931 S *	7/2012	Allen et al.	D2/961
D607,194 S *	1/2010	Zagula	D2/961	D674,587 S *	1/2013	Grainger	D2/961
D623,837 S *	9/2010	McDonnell	D2/961	2004/0194348 A1	10/2004	Campbell	
				2010/0146816 A1	6/2010	Cappaert	
				2010/0263232 A1*	10/2010	Smirman	36/43

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9