



US00D696958S

(12) **United States Design Patent**
Rex

(10) **Patent No.:** **US D696,958 S**

(45) **Date of Patent:** **** *Jan. 7, 2014**

(54) **RECEPTACLE**

(75) Inventor: **Rune Rex, Fr. Berg (DK)**

(73) Assignee: **Nolato Cerbo AB, Trollhattan (SE)**

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/386,787**

(22) Filed: **Mar. 4, 2011**

(30) **Foreign Application Priority Data**

Feb. 14, 2011 (EM) 001260129-0001

(51) **LOC (10) Cl.** **09-01**

(52) **U.S. Cl.**
USPC **D9/560; D9/574; D9/435; D9/443;**
D9/453

(58) **Field of Classification Search**

USPC D9/516, 529, 559-560, 574-575, 667,
D9/436, 444-445, 451, 453; 215/379,
215/381-382, 384; 220/660, 662, 669, 675;
D3/203.2; D24/224

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D101,029 S * 9/1936 Fleisch D9/453
2,364,126 A * 12/1944 Cantor et al. 215/6 X
3,437,194 A * 4/1969 Ames et al. D24/224 X
D269,067 S * 5/1983 Ballereaud D9/560
D270,331 S * 8/1983 Benson D9/560 X
D273,093 S * 3/1984 Lunden et al. D3/203.4
D278,311 S * 4/1985 Brown et al. D9/436
D311,681 S * 10/1990 Aggarwal D9/547
D360,134 S * 7/1995 Snyder D9/443 X

D397,295 S * 8/1998 Shelton-Ferrell D9/436
D438,114 S * 2/2001 Stonberg D9/453 X
D539,651 S * 4/2007 Snyder D9/571 X
D548,607 S * 8/2007 Langbein et al. D9/560
D558,583 S * 1/2008 Langbein et al. D9/573 X
D577,599 S * 9/2008 Moretti D9/574 X
D577,600 S * 9/2008 Kim et al. D9/573
D579,332 S * 10/2008 Krivoshein D9/453
D602,785 S * 10/2009 Rothberg et al. D9/560
D603,716 S * 11/2009 Rica D9/560
D613,177 S * 4/2010 Lee D9/560
D623,517 S * 9/2010 Pechinot D9/453 X
D625,911 S * 10/2010 Lee et al. D3/203.2
D633,808 S * 3/2011 Titherington D9/667
D635,031 S * 3/2011 Themann D9/544
D646,579 S * 10/2011 Rahe D9/560
D680,432 S * 4/2013 Geier D9/453 X

* cited by examiner

Primary Examiner — Carol P Rademaker

(74) *Attorney, Agent, or Firm* — Ladas & Parry LLP

(57) **CLAIM**

The ornamental design for a receptacle, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, left side perspective view of the receptacle;

FIG. 2 is a bottom, rear, right side perspective view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a left side elevational view thereof, the right side elevational view being identical;



FIG. 5 is a bottom plan view thereof;

FIG. 6 is a front elevational view thereof; and,

FIG. 7 is a top plan view thereof.

The broken lines shown in the drawings are included for the purpose of illustrating environmental structure and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7