

(12) United States Design Patent US D697,062 S (10) Patent No.: **Jan. 7, 2014** Nagai et al. (45) **Date of Patent:** **

(57)

- **INFORMATION TERMINAL DEVICE** (54)
- Inventors: Takayuki Nagai, Akashi (JP); Iwao (75)**Ouchi**, Kawasaki (JP)
- Assignee: Yamato Scale Co., Ltd., Akashi-shi (JP) (73)
- (**)14 Years ferm:
- Appl. No.: 29/390,884 (21)

CLAIM

The ornamental design for an information terminal device, as shown and described.

DESCRIPTION

FIG. 1 is a front view of the information terminal device showing our new design; FIG. 2 is a rear view of the information terminal device of FIG. **1**. FIG. 3 is a top view of the information terminal device of FIG. 1.

Apr. 29, 2011 (22)Filed:

(30)**Foreign Application Priority Data**

(JP) 2010-026198 Oct. 30, 2010

- LOC (10) Cl. 14-02 (51)
- U.S. Cl. (52)USPC D14/307
- Field of Classification Search (58)USPC D14/302–307, 900–902; D13/163; D20/10; D21/332, 325, 369, 370; D99/28; D6/397, 466; 194/206; 361/679.01, 679.02, 679.04, 679.21, 361/679.57, 725

See application file for complete search history.

References Cited (56)

U.S. PATENT DOCUMENTS

D494,176 S * 8/2004 Porter et al. D14/388

FIG. 4 is a bottom view of the information terminal device of FIG. 1.

FIG. 5 is a left side view of the information terminal device of FIG. **1**.

FIG. 6 is right side view of the information terminal device of FIG. **1**.

FIG. 7 is a top front perspective view of the information terminal device of FIG. 1.

FIG. 8 is a bottom front perspective view of the information terminal device of FIG. 1.

FIG. 9 is a bottom rear perspective view of the information terminal device of FIG. 1.

FIG. 10 is a top rear perspective view of the information terminal device of FIG. 1.

FIG. 11 is a front view of the information terminal device of

FIG. 1, showing a printer cover of the printer in an open state. FIG. 12 is a rear view of the information terminal device of

FIG. 1, showing the printer cover in an open state.

FIG. 13 is a top view of the information terminal device of

2 12 1, 1 7 0	~		0,200.	
D527,760	S	*	9/2006	Ono D18/4.5
D544,028	S	*	6/2007	Hanafusa et al D18/4.4
D587,296	S	*	2/2009	Kuramochi D18/4.5
D615,120	S	*	5/2010	Ono D18/4.5
D620,519	S	*	7/2010	Branck et al D18/4.4
D625,304	S	*	10/2010	Armstrong D14/307
D653,835	S	*	2/2012	Strempack et al D99/43
D669,464	S	*	10/2012	Birgeoglu D14/307
D675,610	S	*		Ono D14/307

* cited by examiner

Primary Examiner — Austin Murphy (74) Attorney, Agent, or Firm – Alleman Hall McCoy Russell & Tuttle LLP

FIG. 1, showing the printer cover in an open state. FIG. 14 is a bottom view of the information terminal device of FIG. 1, showing the printer cover in an open state. FIG. 15 is a left side view of the information terminal device of FIG. 1, showing the printer cover in an open state. FIG. 16 is a right side view of the information terminal device of FIG. 1, showing the printer cover in an open state. FIG. 17 is a front view of another embodiment of the informational terminal device of FIG. 1, featuring a translucent printer cover, as illustrated by oblique shading. FIG. 18 is a rear view of the information terminal device of FIG. 17, featuring a translucent printer cover, as illustrated by oblique shading.



US D697,062 S Page 2

FIG. **19** is a bottom view of the information terminal device of FIG. **17**, featuring a translucent printer cover, as illustrated by oblique shading.

oblique shading. FIG. 20 is a left side view of the information terminal device of FIG. 17, featuring a translucent printer cover, as illustrated by oblique shading.

FIG. 21 is a right side view of the information terminal device of FIG. 17, featuring a translucent printer cover, as illustrated by oblique shading; and, FIG. 22 is a top perspective view of the information terminal device of FIG. 17, featuring a translucent printer cover, as illustrated by oblique shading.

The broken lines shown in the drawings represent portions of the information terminal device that form no part of the claimed design.

1 Claim, 8 Drawing Sheets

U.S. Patent Jan. 7, 2014 Sheet 1 of 8 US D697,062 S









U.S. Patent Jan. 7, 2014 Sheet 2 of 8 US D697,062 S









U.S. Patent Jan. 7, 2014 Sheet 3 of 8 US D697,062 S



U.S. Patent Jan. 7, 2014 Sheet 4 of 8 US D697,062 S







U.S. Patent Jan. 7, 2014 Sheet 5 of 8 US D697,062 S







U.S. Patent Jan. 7, 2014 Sheet 6 of 8 US D697,062 S









U.S. Patent Jan. 7, 2014 Sheet 7 of 8 US D697,062 S







U.S. Patent Jan. 7, 2014 Sheet 8 of 8 US D697,062 S







