



US00D697165S

(12) **United States Design Patent**
Lorentz

(10) **Patent No.:** **US D697,165 S**
(45) **Date of Patent:** **** Jan. 7, 2014**

(54) **JIG FISHING LURE**

- (71) Applicants: **Danlure LLC**, Wadena, MN (US);
Patricia J. Lorentz, Wadena, MN (US)
- (72) Inventor: **Daniel R. Lorentz**, Wadena, MN (US)
- (73) Assignee: **Danlure LLC**, Wadena, MN (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/442,388**
- (22) Filed: **Feb. 21, 2013**

Related U.S. Application Data

- (63) Continuation of application No. 13/555,555, filed on Jul. 23, 2012.
- (51) **LOC (10) Cl.** **22-05**
- (52) **U.S. Cl.**
USPC **D22/144**
- (58) **Field of Classification Search**
USPC D22/126-133; 43/44.81, 44.8, 42.39,
43/42.37, 44.4, 42.4, 42.44, 42.45, 42.28,
43/42.33, 42.47, 42.22, 42.36, 42.49,
43/42.06, 42.13, 42.34, 44.88, 44.83,
43/42.04, 42.72, 43.12, 44.9
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,611,644	A	12/1926	Johnson	
3,341,966	A *	9/1967	Pippen	43/44.88
3,803,747	A	4/1974	Cartwright	
3,855,722	A *	12/1974	Moore	43/42.34
3,965,606	A	6/1976	Bingler	
4,470,217	A *	9/1984	Adams	43/44.8
4,751,789	A	6/1988	Devereaux	
D324,407	S *	3/1992	Snyder	D22/126
D372,954	S *	8/1996	Coniglio et al.	D22/126
D560,749	S *	1/2008	Moore	D22/144
7,748,157	B1	7/2010	Hellmann	
D642,237	S *	7/2011	Simmons	D22/144
8,186,096	B2 *	5/2012	Rubin et al.	43/44.83
D687,122	S *	7/2013	Simmons	D22/144

OTHER PUBLICATIONS

Application and File History for U.S. Appl. No. 13/555,555, filed Jul. 23, 2012. Inventor: Daniel R. Lorentz.

* cited by examiner

Primary Examiner — Catheri Oliver-Garcia

(74) *Attorney, Agent, or Firm* — Patterson, Thunte, Peterson, P.A.

(57) **CLAIM**

I claim the ornamental design for a jig fishing lure, as shown and described.

DESCRIPTION

FIG. 1 depicts a jig fishing lure, with a barbed hook and jighead connected with a ring assembly;
 FIG. 2 is a right side view of a jig fishing lure, with a barbed hook and jighead connected with an eye and ring assembly;
 FIG. 3 is a front view of a jig fishing lure, with a barbed hook and jighead with an eye and ring assembly;
 FIG. 4 is a left side view of a jig fishing lure, with a barbed hook and jighead with an eye and ring assembly;
 FIG. 5 is a perspective view of a jig fishing lure, with a barbed hook and jighead with an eye and ring assembly;
 FIG. 6 depicts a jig fishing lure, with a barbed hook and jighead connected with a ring assembly;
 FIG. 7 is a right side view of a jig fishing lure, with a barbed hook and jighead connected with an eye and ring assembly;
 FIG. 8 is a front view of a jig fishing lure, with a barbed hook and jighead with an eye and ring assembly;
 FIG. 9 is a left side view of a jig fishing lure, with a barbed hook and jighead with an eye and ring assembly;
 FIG. 10 is a perspective view of a jig fishing lure, with a barbed hook and jighead with an eye and ring assembly;
 FIG. 11 depicts a jig fishing lure, with a barbed hook and jighead connected with a swivel and ring assembly;
 FIG. 12 is a right side view of a jig fishing lure, with a barbed hook and jighead connected with a swivel and ring assembly;
 FIG. 13 is a front view of a jig fishing lure, with a barbed hook and jighead connected with a swivel and ring assembly;
 FIG. 14 is a left side view of a jig fishing lure, with a barbed hook and jighead connected with a swivel and ring assembly;




FIG. **15** is a perspective view of a jig fishing lure, with a barbed hook and jighead connected with a swivel and ring assembly;

FIG. **16** depicts a jig fishing lure, with a barbed hook and jighead connected with a ring assembly;

FIG. **17** is a right side view of a jig fishing lure, with a barbed hook and jighead connected with a swivel and ring assembly;

FIG. **18** is a front view of a jig fishing lure, with a barbed hook and jighead connected with a swivel and ring assembly;

FIG. **19** is a left side view of a jig fishing lure, with a barbed hook and jighead connected with a swivel and ring assembly; and,

FIG. **20** a perspective view of a jig fishing lure, with a barbed hook and jighead connected with a swivel and ring assembly. The broken line showing of environment in the drawings is included for the purpose of illustrating only and forms no part of the claimed design.

1 Claim, 12 Drawing Sheets




FIG.1

FIG. 4




FIG. 3



FIG. 2




FIG. 5




FIG. 6




FIG. 9




FIG. 8




FIG. 7




FIG. 10




FIG. 11




FIG. 14




FIG. 13



FIG. 12




FIG. 15




FIG. 16




FIG. 19




FIG. 18




FIG. 17




FIG .20

