



US00D697256S

(12) **United States Design Patent**  
**Conway et al.**

(10) **Patent No.:** **US D697,256 S**  
(45) **Date of Patent:** **\*\* Jan. 7, 2014**

(54) **HEADLAMP DIRECTION INDICATOR REFLECTOR**

(71) Applicants: **Scott M. Conway**, Flower Mound, TX (US); **Steven H. Hovind**, Bellevue, WA (US); **Wallace A. Peltola**, Sammamish, WA (US); **Vladimir Kolář**, Mohelnice (CZ)

(72) Inventors: **Scott M. Conway**, Flower Mound, TX (US); **Steven H. Hovind**, Bellevue, WA (US); **Wallace A. Peltola**, Sammamish, WA (US); **Vladimir Kolář**, Mohelnice (CZ)

(73) Assignee: **PACCAR Inc**, Bellevue, WA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/449,076**

(22) Filed: **Mar. 14, 2013**

(51) **LOC (10) Cl.** ..... **26-99**

(52) **U.S. Cl.**  
USPC ..... **D26/139**

(58) **Field of Classification Search**  
USPC ..... D26/28-36, 139; 362/459-468,  
362/475-478, 485-487  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D414,571 S	9/1999	Schneider	
D499,202 S *	11/2004	Tsai	D26/139
D506,842 S	6/2005	Nagura	
D507,362 S	7/2005	Minami	

D513,644 S *	1/2006	Ruzicka et al.	D26/139
D544,641 S *	6/2007	Elwell et al.	D26/139
D576,765 S *	9/2008	Song et al.	D26/139
D595,895 S *	7/2009	Lamm	D26/139
D604,893 S *	11/2009	Woolley et al.	D26/139
D608,498 S *	1/2010	Beigel et al.	D26/139
D686,774 S *	7/2013	McCabe et al.	D26/139

\* cited by examiner

*Primary Examiner* — Marcus Jackson

(74) *Attorney, Agent, or Firm* — Christensen O'Connor Johnson Kindness PLLC

(57) **CLAIM**

The ornamental design for a headlamp direction indicator reflector, as shown and described.

**DESCRIPTION**


FIG. 1 is a front perspective view of a headlamp direction indicator reflector according to our new design; FIG. 2 is a front elevational view of the headlamp direction indicator reflector of FIG. 1; FIG. 3 is a top plan view of the headlamp direction indicator reflector of FIG. 1; and, FIG. 4 is a right side view of the headlamp direction indicator reflector of FIG. 1.


The rear of the headlamp direction indicator reflector is unornamented.

FIGS. 1-4 illustrate a first embodiment of our novel design suitable for use on the right side of a vehicle. Our novel design also includes a second embodiment suitable for use on the left side of a vehicle, which is mirrored symmetrical to FIGS. 1-4 and therefore not separately illustrated.


The broken lines shown in the drawings illustrate portions of the headlamp direction indicator reflector that form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**







*Fig. 1.*



*Fig. 2.*



*Fig. 3.*



*Fig. 4.*