

US00D697424S

(12) **United States Design Patent**  
**Adams et al.**

(10) **Patent No.:** **US D697,424 S**  
(45) **Date of Patent:** **\*\* Jan. 14, 2014**

(54) **OVERCAP AND CONTAINER ASSEMBLY**

D414,416 S 9/1999 Watkins  
D434,658 S 12/2000 Geier  
D436,038 S 1/2001 Ruiz de Gopegui

(75) Inventors: **Mary Beth Adams**, Antioch, IL (US);  
**Daniel A. Anderson**, Burlington, WI  
(US); **Jeffrey J. Christianson**, Oak  
Creek, WI (US); **Matthew Grossman**,  
Austin, TX (US); **Kit R. Morris**, Austin,  
TX (US); **Han Xin**, Shanghai (CN)

(Continued)

FOREIGN PATENT DOCUMENTS

AU 337186SS 6/2011  
AU 337187SS 6/2011

(Continued)

(73) Assignee: **S.C. Johnson & Son, Inc.**, Racine, WI  
(US)

OTHER PUBLICATIONS

(\*\*) Term: **14 Years**

Precision Valve Corporation product page of spray caps from  
precisionglobal.com website [online] [retrieved on Feb. 2, 2012], 2  
pages. Retrieved from <URL:http://www.precisionglobal.com/en/  
products/catalog/group/domes>.

(21) Appl. No.: **29/428,122**

(22) Filed: **Jul. 26, 2012**

*Primary Examiner* — Susan Bennett Hattan

**Related U.S. Application Data**

(62) Division of application No. 29/397,465, filed on Jul.  
15, 2011, now Pat. No. Des. 666,491.

(51) **LOC (10) Cl.** ..... **09-01**

(52) **U.S. Cl.**  
USPC ..... **D9/688**; D9/448; D9/445

(58) **Field of Classification Search**  
USPC ..... D9/688, 686, 682, 454, 448, 445, 44;  
D6/544, 542; D28/76; D23/255, 252,  
D23/238; 222/630, 631, 566, 402.22,  
222/402.13, 402.1, 401, 330, 331, 252,  
222/153.07, 135

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D225,731 S 1/1973 Louise  
4,377,248 A \* 3/1983 Stull ..... 222/543  
D395,597 S 6/1998 Lamb  
D406,763 S 3/1999 Watkins et al.  
D413,514 S 9/1999 Pericard et al.  
D413,793 S 9/1999 Favre

(57) **CLAIM**


The ornamental design for an overcap and container assem-  
bly, as shown and described.

**DESCRIPTION**

FIG. 1 is an isometric view of a top, front, and left side of an  
ornamental design for an overcap and container assembly;  
FIG. 2 is a front elevational view of the overcap and container  
assembly of FIG. 1;  
FIG. 3 is a rear elevational view of the overcap and container  
assembly of FIG. 1;  
FIG. 4 is a left side elevational view of the overcap and  
container assembly of FIG. 1;  
FIG. 5 is a right side elevational view of the overcap and  
container assembly of FIG. 1; and,  
FIG. 6 is a top plan view of the overcap and container assem-  
bly of FIG. 1.

The broken lines are for the purpose of illustrating environ-  
mental structure and form no part of the claimed design.

**1 Claim, 3 Drawing Sheets**



(56)

References Cited

U.S. PATENT DOCUMENTS

D447,948 S 9/2001 Pannozzo et al.  
 6,302,302 B1 10/2001 Albisetti  
 D455,077 S \* 4/2002 Gaiser et al. .... D9/449  
 D457,429 S 5/2002 Walters  
 6,398,082 B2 6/2002 Clark et al.  
 D462,009 S 8/2002 Poisson et al.  
 D471,106 S 3/2003 Pannozzo et al.  
 D478,284 S 8/2003 Pannozzo et al.  
 D478,285 S 8/2003 Pannozzo et al.  
 D490,699 S 6/2004 Nelson et al.  
 D497,808 S 11/2004 Morris et al.  
 D507,487 S 7/2005 Marroncles  
 D508,209 S 8/2005 Lamb et al.  
 D508,851 S 8/2005 Nelson et al.  
 D508,853 S \* 8/2005 Ziegenhorn et al. .... D9/449  
 D511,302 S 11/2005 Lamb et al.  
 D513,995 S 1/2006 Miwa  
 7,036,691 B2 5/2006 Nicolas  
 D527,630 S 9/2006 McConville et al.  
 7,104,427 B2 9/2006 Pericard et al.  
 D532,300 S 11/2006 Moretti  
 D532,301 S 11/2006 Moretti  
 D532,302 S 11/2006 Moretti  
 D533,074 S 12/2006 Mongeon et al.  
 D536,969 S 2/2007 Geier  
 D537,715 S 3/2007 Downey et al.  
 D543,106 S 5/2007 Foster et al.  
 D557,145 S 12/2007 Miller et al.  
 D561,024 S 2/2008 Altonen et al.  
 D565,947 S 4/2008 Downey et al.  
 D567,651 S 4/2008 Bloc  
 D569,247 S 5/2008 Decottignies  
 D575,153 S 8/2008 Caroën et al.  
 D576,490 S 9/2008 Mazurkiewicz et al.  
 D578,005 S 10/2008 Shurtleff et al.

D579,342 S 10/2008 Claughton et al.  
 D580,265 S 11/2008 Turchi  
 D587,576 S 3/2009 Miller et al.  
 D596,939 S 7/2009 Moretti  
 D625,998 S 10/2010 Claassen  
 7,854,356 B2 12/2010 Eberhardt  
 7,922,041 B2 4/2011 Gurrisi et al.  
 D643,303 S 8/2011 Bicknell et al.  
 D653,559 S 2/2012 Bicknell et al.  
 D662,415 S \* 6/2012 Bicknell et al. .... D9/448  
 D664,432 S \* 7/2012 Jordan ..... D9/448  
 D665,668 S \* 8/2012 Cho et al. .... D9/448  
 D680,432 S \* 4/2013 Geier ..... D9/448  
 2004/0140328 A1 7/2004 Pericard et al.  
 2005/0279781 A1\* 12/2005 Pugne ..... 222/556

FOREIGN PATENT DOCUMENTS

DE	49810445-0001	7/1999
EM	000155338-0002	6/2004
EM	000318928-0001	5/2005
EM	000391719-0009	10/2005
EM	000415260-0001	2/2006
EM	000449855-0002	2/2006
EM	000500152-0001	6/2006
EM	000512207-0001	6/2006
EM	000729306-0003	6/2007
EM	000735139-0002	6/2007
EM	001733338-0001	7/2010
GB	2038953	11/1993
GB	2055558	4/1996
GB	2072025	1/1998
GB	2082538	10/1998
WO	DM048855	10/1999
WO	DM057973	12/2001
WO	DM064600	12/2003

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6