

US00D697491S

(12) **United States Design Patent**
Daniel

(10) **Patent No.:** **US D697,491 S**
(45) **Date of Patent:** **** *Jan. 14, 2014**

(54) **COMMUNICATION DEVICE WITH
CONCEALED BIOMETRIC VERIFICATION
MEANS**

(76) Inventor: **Isaac S. Daniel**, Miramar, FL (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/415,019**

(22) Filed: **Mar. 6, 2012**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/410,761, filed on Jan. 11, 2012, and a continuation-in-part of application No. 29/411,054, filed on Jan. 16, 2012.

(51) **LOC (10) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/138 G**; D14/384; D14/138 R

(58) **Field of Classification Search**
USPC D14/138 G, 138 AD, 341, 346, 138 R,
D14/138 AC, 496, 203.1, 203.4, 203.7, 248,
D14/218, 436, 435, 383-385; 455/575.1,
455/556.2, 575.3, 575.4; D21/517;
379/433.01, 433.04; D10/65, 78, 104;
D13/168

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,661,632	A *	8/1997	Register	361/679.3
5,867,795	A *	2/1999	Novis et al.	455/566
6,088,585	A *	7/2000	Schmitt et al.	455/411
D429,725	S *	8/2000	Morimiya	D14/384
6,141,436	A *	10/2000	Srey et al.	382/124
D440,568	S *	4/2001	Rozenberg	D14/402
6,213,403	B1 *	4/2001	Bates, III	235/492
D443,614	S *	6/2001	Do et al.	D14/345
D460,453	S *	7/2002	Homma et al.	D14/435
6,427,078	B1 *	7/2002	Wilska et al.	455/550.1
D467,602	S *	12/2002	Katayama	D16/202

6,592,031	B1 *	7/2003	Klatt	235/382
D486,484	S *	2/2004	Bloomberg et al.	D14/248
6,724,370	B2 *	4/2004	Dutta et al.	345/169
D508,245	S *	8/2005	Ozolins et al.	D14/383
D522,510	S *	6/2006	Su	D14/384
D528,097	S *	9/2006	Kim	D14/138 G
7,110,574	B2 *	9/2006	Haruki et al.	382/115
7,139,414	B1 *	11/2006	Suzuki et al.	382/126
7,151,673	B2 *	12/2006	Le et al.	361/737
D535,992	S *	1/2007	Ozolins et al.	D14/383
7,379,569	B2 *	5/2008	Chikazawa et al.	D14/124
D614,184	S *	4/2010	Daniel	D14/346
D622,692	S *	8/2010	McWilliam et al.	D14/138 G
7,822,446	B2 *	10/2010	Vatanparast et al.	455/575.4
D647,498	S *	10/2011	Lee et al.	D14/138 G
8,270,685	B2 *	9/2012	Wu et al.	382/124
8,362,873	B2 *	1/2013	Miller et al.	340/5.52
D676,008	S *	2/2013	Park et al.	D14/138 G
D679,269	S *	4/2013	Fahlgren et al.	D14/248
2005/0039027	A1 *	2/2005	Shapiro	713/186

OTHER PUBLICATIONS

Motorola XT701 telephone, announced Dec. 2009, [online], [site visited May 1, 2013]. Available from Internet, <URL: http://www.gsmarena.com/motorola_xt701-3071.php>.*

Motorola Droid Razr HD telephone, announced Sep. 2012, [online], [site visited May 1, 2013]. Available from Internet, <URL: http://www.gsmarena.com/motorola_droid_razr_hd-4971.php>.*

* cited by examiner

Primary Examiner — Jeffrey D Asch

(74) *Attorney, Agent, or Firm* — Carol N. Green, Esq.

(57) **CLAIM**

The ornamental design for a communication device with concealed biometric verification means, as shown and described.

DESCRIPTION

FIG. 1 is a front, bottom, left perspective view of the invention with the cover for the concealed biometric verification means in the closed position.

FIG. 2 is a front, bottom, left perspective view of the invention with the cover for the concealed biometric verification means in the open position.




FIG. 3 is a front, top, right perspective view of the invention with the cover for the concealed biometric verification means in the closed position.

FIG. 4 is a front, top, right perspective view of the invention with the cover for the concealed biometric verification means in the open position.

FIG. 5 is a rear, top, left perspective view of the invention with the cover for the concealed biometric verification means in the closed position.

FIG. 6 is a rear, top, left perspective view of the invention with the cover for the concealed biometric verification means in the open position.

FIG. 7 is a front view of the invention with the cover for the concealed biometric verification means in the closed position.

FIG. 8 is a front view of the invention with the cover for the concealed biometric verification means in the open position.

FIG. 9 is a rear view of the invention with the cover for the concealed biometric verification means in the closed position.

FIG. 10 is a rear view of the invention with the cover for the concealed biometric verification means in the open position.

FIG. 11 is a left side view of the invention with the cover for the concealed biometric verification means in the closed position.

FIG. 12 is a left side view of the invention with the cover for the concealed biometric verification means in the open position.

FIG. 13 is a right side view of the invention with the cover for the concealed biometric verification means in the closed position.

FIG. 14 is a right side view of the invention with the cover for the concealed biometric verification means in the open position.

FIG. 15 is a top plan view of the invention with the cover for the concealed biometric verification means in the closed position.

FIG. 16 is a top plan view of the invention with the cover for the concealed biometric verification means in the open position.

FIG. 17 is a bottom plan view of the invention with the cover for the concealed biometric verification means in the closed position; and,

FIG. 18 is a bottom plan view of the invention with the cover for the concealed biometric verification means in the open position.

The broken lines showing displayed information in FIGS. 1 and 2 are directed to environment and are for illustrative purposes only; the broken lines form no part of the claimed design.

1 Claim, 9 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 8




FIG. 7




FIG. 10




FIG. 9




FIG. 12




FIG. 11




FIG. 14



FIG. 13



FIG. 15



FIG. 16




FIG. 17



FIG. 18