



US00D697492S

(12) **United States Design Patent**
Minamide et al.

(10) **Patent No.:** **US D697,492 S**
(45) **Date of Patent:** **** Jan. 14, 2014**

(54) **ELECTRONIC DEVICE**

(75) Inventors: **Keiichi Minamide**, Tokyo (JP); **Hideki Hayashi**, Seoul (KR)

(73) Assignee: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(**) Term: **14 Years**

(21) Appl. No.: **29/426,540**

(22) Filed: **Jul. 6, 2012**

(30) **Foreign Application Priority Data**

Jan. 6, 2012 (KR) 30-2012-0000937

(51) **LOC (10) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/138 G**

(58) **Field of Classification Search**
USPC D14/138 R, 138 AD, 138 AC, 138 C,
D14/138 G, 137, 147, 218, 341–347,
D14/247–248; 455/566, 575.1, 575.3, 575.4
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D562,796	S	*	2/2008	Sohn et al.		D14/138 AD
D563,369	S	*	3/2008	Kim et al.		D14/138 AD
D563,939	S	*	3/2008	Laine et al.		D14/138 AD
D565,016	S	*	3/2008	Kwon et al.		D14/138 AD
D576,590	S	*	9/2008	Benoit		D14/138 AD
D585,862	S	*	2/2009	Holmung		D14/138 AD
D592,166	S	*	5/2009	Song		D14/138 AD
D593,531	S	*	6/2009	Lee et al.		D14/138 AD
D601,114	S	*	9/2009	He		D14/138 AD
D604,263	S	*	11/2009	Kim		D14/138 G
7,660,560	B2	*	2/2010	Zuo et al.		455/90.3
D612,355	S	*	3/2010	Luo		D14/138 AC

D613,721	S	*	4/2010	Kim et al.		D14/138 AD
D622,691	S	*	8/2010	Kim et al.		D14/138 G
D624,896	S	*	10/2010	Park et al.		D14/138 G
D628,551	S	*	12/2010	Huang et al.		D14/138 G
D640,663	S	*	6/2011	Arnholt et al.		D14/138 G
D654,454	S	*	2/2012	Son		D14/138 AD
D656,477	S	*	3/2012	Yi et al.		D14/138 G
D657,328	S	*	4/2012	Son		D14/138 AD
D663,284	S	*	7/2012	Sparks		D14/138 G

(Continued)

OTHER PUBLICATIONS

Sharp 825SH, announced Jun. 2008, [online], [retrieved on Apr. 16, 2009]. Retrieved from Internet ,<URL: <http://www.gsmarena.com>>.*

Primary Examiner — Bridget L Eland

(74) *Attorney, Agent, or Firm* — NSIP Law

(57) **CLAIM**

The ornamental design for an electronic device, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of an electronic device showing our new design;

FIG. 2 is a front view of the electronic device of FIG. 1;

FIG. 3 is a rear view of the electronic device of FIG. 1;

FIG. 4 is a left-side view of the electronic device of FIG. 1;

FIG. 5 is a right-side view of the electronic device of FIG. 1;


FIG. 6 is a top plan view of the electronic device of FIG. 1;

FIG. 7 is a bottom plan view of the electronic device of FIG. 1; and,

FIG. 8 is a rear perspective view of the electronic device of FIG. 1.

The oblique lines shading in the Figures indicate reflective surfaces.

1 Claim, 8 Drawing Sheets



(56)	References Cited		2006/0229117	A1 *	10/2006	Lehtonen	455/575.3
			2013/0040718	A1 *	2/2013	Sparks et al.	463/16
	U.S. PATENT DOCUMENTS						
	D687,400	S	*	8/2013	Park et al.	D14/138	G * cited by examiner

FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8

