

US00D697555S

(12) **United States Design Patent**  
**Furber**

(10) **Patent No.:** **US D697,555 S**  
(45) **Date of Patent:** **\*\* Jan. 14, 2014**

(54) **IDENTIFICATION TAG**

(75) Inventor: **Brandon Lee Furber**, Fair Haven, NY  
(US)

(73) Assignee: **Brady Worldwide, Inc.**, Milwaukee, WI  
(US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/414,622**

(22) Filed: **Mar. 1, 2012**

(51) **LOC (10) Cl.** ..... **19-08**

(52) **U.S. Cl.**  
USPC ..... **D20/22; D20/27**

(58) **Field of Classification Search**  
USPC ..... D20/10, 19, 22-28, 42-44, 99; 40/5,  
40/124.02, 299.01, 324, 625, 626, 642.01,  
40/642.02, 645, 647, 649, 651, 654, 658,  
40/661, 662, 665, 666; D8/395;  
D10/109.1; 47/65.6; 101/482  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,757,338	A *	5/1930	Schaefer	101/482
2,276,490	A *	3/1942	Hooper	40/324
2,631,809	A	3/1953	Jacobson	
D231,714	S *	5/1974	Arthur	D20/22
4,044,485	A *	8/1977	Hopp	40/324
D256,258	S *	8/1980	Varrin	D20/43
4,378,648	A	4/1983	Loof et al.	
4,821,988	A	4/1989	Jimenez	
4,876,810	A	10/1989	Piana et al.	
4,899,474	A	2/1990	Piana et al.	

5,400,992	A	3/1995	Pohl	
D366,065	S *	1/1996	Lockard	D20/22
5,581,921	A *	12/1996	Hutchens	40/324
7,219,458	B2	5/2007	Burlando	
7,779,566	B2	8/2010	Kassouni	
D672,264	S *	12/2012	Ochoa	D10/109.1
D683,407	S *	5/2013	Austria	D20/22
2005/0223640	A1 *	10/2005	Hall et al.	47/65.6
2006/0294168	A1	12/2006	Scott et al.	

\* cited by examiner

*Primary Examiner* — Mary Ann Calabrese

(74) *Attorney, Agent, or Firm* — Quarles & Brady LLP

(57) **CLAIM**

The ornamental design for an identification tag, as shown and described.


**DESCRIPTION**

FIG. 1 is a front, upper, right perspective view of an identification tag embodying our new design;  
FIG. 2 is a rear, upper, left perspective view thereof;  
FIG. 3 is a right elevational view thereof;  
FIG. 4 is a front elevational view thereof;  
FIG. 5 is a rear elevational view thereof;  
FIG. 6 is an upper plan view thereof; and,  
FIG. 7 is a lower plan view thereof.

In the drawings, the broken lines represent features that form no part of the claimed design. The representation of letters "A" and "B" on the major surfaces illustrated in FIGS. 1, 2, 4, and 5 are surface treatments used to provide an example indicia and form no part of the claimed design.

In a preferred embodiment, the nature of this product is as an identification for attachment to a member such as a conduit or wire.

**1 Claim, 3 Drawing Sheets**






FIG. 2




FIG. 1

FIG. 4





FIG. 3






FIG. 5




FIG. 6




FIG. 7