



US00D697628S

(12) **United States Design Patent**
Drey et al.

(10) **Patent No.:** **US D697,628 S**
(45) **Date of Patent:** **** Jan. 14, 2014**

- (54) **HEEL PROTECTOR**
- (71) Applicant: **Medline Industries, Inc.**, Mundelein, IL (US)
- (72) Inventors: **Michelle Drey**, Chicago, IL (US); **Margaret Falconio-West**, Round Lake, IL (US); **Bruce Shapiro**, Deerfield, IL (US)
- (73) Assignee: **Medline Industries, Inc.**, Mundelein, IL (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/444,693**
- (22) Filed: **Feb. 1, 2013**
- (51) **LOC (10) Cl.** **24-01**
- (52) **U.S. Cl.**
USPC **D24/192**
- (58) **Field of Classification Search**
USPC D24/190-192; D2/900; 602/5, 23, 27, 602/28, 29, 65; 128/845, 881, 882, 892; D29/121.1

See application file for complete search history.

| | | | |
|-----------------|---------|---------------------|---------|
| 5,511,552 A | 4/1996 | Johnson | |
| 5,660,182 A | 8/1997 | Kuroshaki et al. | |
| 5,827,211 A | 10/1998 | Sellinger | |
| D410,746 S * | 6/1999 | Klein | D24/192 |
| 6,126,627 A | 10/2000 | Brennan | |
| 6,308,713 B1 * | 10/2001 | Coleman | 128/882 |
| 6,322,530 B1 | 11/2001 | Johnson, Jr. et al. | |
| D453,969 S * | 2/2002 | Callsen et al. | D24/192 |
| D455,836 S * | 4/2002 | Lammers | D24/192 |
| 7,004,920 B2 | 2/2006 | Fareed | |
| 7,115,105 B2 | 10/2006 | Cropper | |
| D542,921 S | 5/2007 | Ponsi et al. | |
| 7,252,647 B1 * | 8/2007 | Hely | 602/65 |
| 7,329,232 B2 | 2/2008 | Moses et al. | |
| D571,083 S * | 6/2008 | Mohammad | D2/900 |
| 7,455,651 B2 | 11/2008 | Mollica | |
| 7,458,948 B2 | 12/2008 | Drennan | |
| 7,798,984 B2 | 9/2010 | Ponsi et al. | |
| 8,152,749 B2 | 4/2012 | Ponsi et al. | |
| 8,216,165 B2 | 7/2012 | Ravikumar et al. | |
| 8,241,263 B2 | 8/2012 | Mills | |
| 8,435,199 B2 * | 5/2013 | Ponsi et al. | 602/27 |
| 2004/0236261 A1 | 11/2004 | McCarthy | |
| 2008/0022559 A1 | 1/2008 | Ponsi | |
| 2009/0076427 A1 | 3/2009 | Ponsi | |
| 2009/0149791 A1 | 6/2009 | Ponsi et al. | |
| 2010/0152638 A1 | 6/2010 | Ponsi et al. | |
| 2012/0012118 A1 | 1/2012 | Ponsi et al. | |
| 2012/0179082 A1 | 7/2012 | Ponsi et al. | |
| 2012/0209158 A1 | 8/2012 | Avitable et al. | |

OTHER PUBLICATIONS

“Flowtron Universal”, *Arjo Huntleigh Publication; Flowtron Universal Publication*; Published 2009; pp. 1-4.

“Calibrated V-Lok Cuff”, *Calibrated V-Lok Cuff Specification Publication*; Publicly available more than one year prior to the filing date of the present application.; Printed Sep. 2012; p. 1.

“Website”, *Covidien Vascular Compression Products*; www.covidien.com/vascularcompression/pages.aspx; Publicly available prior to filing of this application.


“DeRoyal Medical Products PRUventor”, *“PRUventor Heel Off-loading Device”*; Publication Date Unknown but believed to be before the filing date of the present application; http://www.deroyal.com/MedicalProducts/.

* cited by examiner

Primary Examiner — Susan E Krakower
(74) *Attorney, Agent, or Firm* — David Noskowicz; Philip H. Burrus, IV

(56) **References Cited**
U.S. PATENT DOCUMENTS

| | | | |
|---------------|---------|-------------------|------------|
| 3,216,417 A * | 11/1965 | Posey | 128/892 |
| 3,279,459 A | 10/1966 | Schenker | |
| 3,693,619 A * | 9/1972 | Williams | 128/892 |
| D225,472 S * | 12/1972 | Lowrey | D24/192 |
| 3,721,237 A * | 3/1973 | Alessio | 128/892 |
| D239,058 S * | 3/1976 | Gaylord, Jr. | D24/192 |
| 4,135,504 A | 1/1979 | Spann | |
| 4,186,738 A | 2/1980 | Schleicher et al. | |
| D261,821 S * | 11/1981 | Hubbard et al. | D29/121.1 |
| D268,365 S * | 3/1983 | Malkin | D24/192 |
| 4,573,482 A * | 3/1986 | Williams, Jr. | 128/882 |
| RE32,680 E * | 5/1988 | Pompa | 128/881 |
| 4,781,133 A * | 11/1988 | Hanyu et al. | 112/475.25 |
| 5,226,245 A | 7/1993 | Lamont | |
| D338,067 S * | 8/1993 | Luber et al. | D24/192 |
| 5,449,339 A | 9/1995 | Drennan | |
| 5,479,471 A * | 12/1995 | Buckland | 378/208 |



(57)

CLAIM

The ornamental design for a heel protector, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a first embodiment of a heel protector, in a closed condition, showing our new design;
FIG. 2 is a right side elevation view thereof;
FIG. 3 is a left side elevation view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a rear elevation view thereof;
FIG. 7 is a front elevation view thereof;
FIG. 8 is an isometric view of the heel protector of FIG. 1, in an open condition;
FIG. 9 is a right side elevation view thereof;
FIG. 10 is left a side elevation view thereof;
FIG. 11 is a top plan view thereof;
FIG. 12 is a bottom plan view thereof;
FIG. 13 is a rear elevation view thereof;
FIG. 14 is a front elevation view thereof;
FIG. 15 is an isometric view of a second embodiment of a heel protector, with stitching, in a closed condition, showing our new design;
FIG. 16 is a right side elevation view thereof;
FIG. 17 is a left side elevation view thereof;
FIG. 18 is a top plan view thereof;
FIG. 19 is a bottom plan view thereof;

FIG. 20 is a rear elevation view thereof;
FIG. 21 is a front elevation view thereof;
FIG. 22 is an isometric view of the heel protector of FIG. 15, in an open closed condition;
FIG. 23 is a side elevation view thereof;
FIG. 24 is a side elevation view thereof;
FIG. 25 is a top plan view thereof;
FIG. 26 is a bottom plan view thereof;
FIG. 27 is a rear elevation view thereof;
FIG. 28 is a front elevation view thereof;
FIG. 29 is an isometric view of a third embodiment of a heel protector, with stitching, in a closed condition, showing our new design;
FIG. 30 is a right side elevation view thereof;
FIG. 31 is a left side elevation view thereof;
FIG. 32 is a top plan view thereof;
FIG. 33 is a bottom plan view thereof;
FIG. 34 is a rear elevation view thereof;
FIG. 35 is a front elevation view thereof;
FIG. 36 is an isometric view of the heel protector of FIG. 29, in an open condition;
FIG. 37 is a right side elevation view thereof;
FIG. 38 is a left side elevation view thereof;
FIG. 39 is a top plan view thereof;
FIG. 40 is a bottom plan view thereof;
FIG. 41 is a rear elevation view thereof; and,
FIG. 42 is a front elevation view thereof.

1 Claim, 24 Drawing Sheets




FIG. 1



FIG. 3




FIG. 2




FIG. 5




FIG. 4




FIG. 6




FIG. 7




FIG. 8



FIG. 9

FIG. 10






FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 17



FIG. 16




FIG. 19




FIG. 18




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 31




FIG. 30




FIG. 33




FIG. 32




FIG. 34




FIG. 35




FIG. 36



FIG. 37

FIG. 38






FIG. 39




FIG. 40




FIG. 41




FIG. 42