



US00D697786S

(12) **United States Design Patent**
McMahon

(10) **Patent No.:** **US D697,786 S**
(45) **Date of Patent:** **** Jan. 21, 2014**

(54) **DESKTOP DISPLAY CORD HOLDER**

(71) Applicant: **Joel McMahon**, Atlanta, GA (US)

(72) Inventor: **Joel McMahon**, Atlanta, GA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/435,749**

(22) Filed: **Oct. 27, 2012**

(51) **LOC (10) Cl.** **08-08**

(52) **U.S. Cl.**
USPC **D8/383**; D6/310

(58) **Field of Classification Search**
USPC D8/395, 394, 383, 356; 24/3.12;
280/759; D13/155; D14/223; 381/370;
D19/65; D99/29; D6/310, 601; 470/19;
D20/10; 204/258; 439/108, 83; 156/64;
725/78; 446/85; D11/184; D21/694
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|-----------|-----|---------|-----------------|---------|
| 1,516,721 | A * | 11/1924 | Emery | 470/19 |
| 4,133,596 | A * | 1/1979 | Dauser, Jr. | 439/408 |
| 4,344,832 | A * | 8/1982 | Dahlberg | 204/258 |
| 4,565,593 | A * | 1/1986 | Marr | 156/64 |
| 4,864,632 | A * | 9/1989 | Moriyama et al. | 725/78 |
| 5,495,644 | A * | 3/1996 | Meshner et al. | 24/3.12 |
| D376,534 | S * | 12/1996 | Wolff | D8/395 |
| 5,588,848 | A * | 12/1996 | Law et al. | 439/83 |
| D389,050 | S * | 1/1998 | Li | D8/395 |
| D397,270 | S * | 8/1998 | Maalouf | D6/601 |
| 5,947,786 | A * | 9/1999 | Glick | 446/85 |
| 6,053,751 | A * | 4/2000 | Humphrey | 439/108 |
| D432,906 | S * | 10/2000 | Stoddard | D8/395 |

(Continued)

Primary Examiner — Cathron Brooks

Assistant Examiner — Sydney R Buffalow

(74) *Attorney, Agent, or Firm* — Jones IP Law, LLC; Dennis W. Jones

(57) **CLAIM**

The ornamental design for a desktop display cord holder, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a desktop display cord holder;

FIG. 2 is a rear perspective view thereof;

FIG. 3 is a right side elevation view thereof;

FIG. 4 is a left side elevation view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a front elevation view thereof;

FIG. 8 is a rear elevation view thereof;

FIG. 9 is a front perspective view of a desktop display cord holder and showing in broken lines a representative secured cord and a representative design on the front of the desktop display cord holder;

FIG. 10 is a front perspective view of a desktop display cord holder and showing in broken lines a representative secured cord and an alternative design on the front of the desktop display cord holder;

FIG. 11 is a front perspective view of a desktop display cord holder and showing in broken lines a representative secured cord and another alternative design on the front of the desktop display cord holder;


FIG. 12 is a front perspective view of a desktop display cord holder and showing in broken lines a representative secured cord and another alternative design on the front of the desktop display cord holder;

FIG. 13 is a front perspective view of a desktop display cord holder and showing in broken lines a representative secured cord and a representative digital clock on the front of the desktop display cord holder; and,

FIG. 14 is a front perspective view of a desktop display cord holder and showing in broken lines a representative secured cord and a representative picture frame on the front of the desktop display cord holder.

The broken lines in FIG. 9 through FIG. 14 are for illustrative purposes only and form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

| | | | | | | | | | |
|-----------|------|---------|---------------------------|---------|--------------|------|---------|---------------------------|---------|
| 6,533,319 | B1 * | 3/2003 | Denby et al. | 280/759 | D653,163 | S | 1/2012 | Dunn | |
| D480,200 | S * | 9/2003 | Sprague | D99/29 | D657,662 | S * | 4/2012 | Boucher-Gagne et al. | D8/394 |
| D480,942 | S | 10/2003 | Ishida | | D657,664 | S * | 4/2012 | Boucher-Gagne et al. | D8/394 |
| D492,727 | S * | 7/2004 | Nuttall et al. | D19/65 | D658,048 | S * | 4/2012 | Boucher-Gagne et al. | D8/394 |
| D542,123 | S | 5/2007 | Symons | | D658,050 | S * | 4/2012 | Boucher-Gagne et al. | D8/394 |
| D575,143 | S * | 8/2008 | Kuo et al. | D8/394 | D658,051 | S * | 4/2012 | Boucher-Gagne et al. | D8/394 |
| D629,286 | S | 12/2010 | Laskowski | | D658,094 | S | 4/2012 | Dunn | |
| D641,951 | S * | 7/2011 | Bruyca et al. | D1/127 | D659,527 | S * | 5/2012 | Boucher-Gagne et al. | D8/395 |
| D641,953 | S * | 7/2011 | Bruyca et al. | D1/127 | D659,589 | S | 5/2012 | Dunn | |
| D643,419 | S * | 8/2011 | Huang | D14/223 | D665,860 | S * | 8/2012 | Lovegrove et al. | D21/694 |
| D648,685 | S * | 11/2011 | Symons | D13/155 | D669,392 | S * | 10/2012 | Dunn | D11/184 |
| D651,072 | S * | 12/2011 | Boucher-Gagne et al. | D8/394 | D676,833 | S * | 2/2013 | Garcia et al. | D14/223 |
| | | | | | D688,976 | S * | 9/2013 | Dunn | D11/184 |
| | | | | | 2008/0285785 | A1 * | 11/2008 | Zieg et al. | 381/370 |

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14