



US00D697844S

(12) **United States Design Patent**
Conway et al.

(10) **Patent No.:** **US D697,844 S**
(45) **Date of Patent:** **** Jan. 21, 2014**

- (54) **QUARTER FENDER**
- (71) Applicants: **Scott M. Conway**, Flower Mound, TX (US); **David Leetz**, Denton, TX (US); **Peter S. Arrigoni**, Seattle, WA (US)
- (72) Inventors: **Scott M. Conway**, Flower Mound, TX (US); **David Leetz**, Denton, TX (US); **Peter S. Arrigoni**, Seattle, WA (US)
- (73) Assignee: **PACCAR Inc**, Bellevue, WA (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/447,237**
- (22) Filed: **Mar. 1, 2013**
- (51) **LOC (10) Cl.** **12-16**
- (52) **U.S. Cl.**
USPC **D12/184**; D12/196
- (58) **Field of Classification Search**
USPC D12/68, 101, 102, 106, 181, 184, 190, D12/191, 196; 280/414.1, 414.2, 414.3, 280/727, 770, 847, 848, 849; 296/91, 296/180.1-180.5; 180/903; D15/11, 17, 25; D21/561, 562
See application file for complete search history.

D465,749 S 11/2002 Beigel
D466,450 S 12/2002 Maher
D482,993 S * 12/2003 Conway et al. D12/184

(Continued)

FOREIGN PATENT DOCUMENTS

EP 1564115 A2 * 8/2005 B62D 25/16
JP 2007223397 A * 9/2007 B62D 25/18
JP 2008296819 A * 12/2008 B62D 25/16

OTHER PUBLICATIONS

TRP chrome plated and stainless steel accessories. Jan. 25, 2012 [online], [retrieved on Sep. 11, 2013]. Retrieved from the Internet <URL: <http://www.overdriveonline.com/trucking-gear/trp-chrome-plated-and-stainless-steel-accessories/>>.*

(Continued)

Primary Examiner — Philip S Hyder
Assistant Examiner — Darlington Ly
(74) *Attorney, Agent, or Firm* — Christensen O'Connor Johnson Kindness PLLC

(57) **CLAIM**
The ornamental design for a quarter fender, as shown and described.

DESCRIPTION


FIG. 1 is a perspective view of a quarter fender according to our new design;
FIG. 2 is a top view of the quarter fender of FIG. 1;
FIG. 3 is a side view of the quarter fender taken from the left side of FIG. 1; and,
FIG. 4 is a front view of the quarter fender of FIG. 1.
The bottom and rear of the quarter fender is unornamented. FIGS. 1-4 illustrate a first embodiment of our novel design suitable for use on the left side of a vehicle. Our novel design also includes a second embodiment suitable for use on the right side of a vehicle, which is mirror symmetrical to FIGS. 1-4 and therefore not separately illustrated.

1 Claim, 4 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,706,980 A * 11/1987 Hawes et al. 280/154
4,735,428 A * 4/1988 Antekeier 280/154
4,740,003 A * 4/1988 Antekeier 280/848
D366,640 S * 1/1996 Tucker et al. D12/184
D382,844 S 8/1997 Norwood
D401,198 S 11/1998 Mueller
D412,689 S 8/1999 Onopa
D433,980 S 11/2000 Conway
D434,358 S * 11/2000 Conway et al. D12/196
6,152,469 A * 11/2000 Gadowski 280/154
D450,277 S 11/2001 Onopa
D460,023 S 7/2002 Beigel



(56)

References Cited

U.S. PATENT DOCUMENTS

D488,112 S 4/2004 Satou
D490,749 S 6/2004 Satou
D492,921 S 7/2004 Perfetti
D494,900 S 8/2004 Satou
D502,904 S 3/2005 Delashaw
D504,642 S 5/2005 Perfetti
D511,727 S 11/2005 Shaw
D545,255 S * 6/2007 Angelo et al. D12/184
D563,853 S * 3/2008 Rosen et al. D12/184
D566,635 S * 4/2008 Rosen et al. D12/184
D621,756 S * 8/2010 Angelo et al. D12/184
D623,103 S 9/2010 Braga
7,874,592 B2 * 1/2011 Eklund et al. 280/854
D643,352 S 8/2011 Hjorten
D647,016 S * 10/2011 Medina et al. D12/181

OTHER PUBLICATIONS

"Class Pays," Peterbilt Motors Company, Denton, Texas, Sep. 1997, 10•page brochure.
"Class Pays," Peterbilt Motors Company, Denton, Texas, Nov. 1998, 10•page brochure.
"Class Pays, Medium Duty," Peterbilt Motors Company, Denton, Texas, Sep. 2000, 12•page brochure.
"Class Pays, Truck Models," Peterbilt Motors Company, Denton, Texas, Mar. 2005, 24•page brochure.
"Model 377A/E," Peterbilt Motors Company, Denton, Texas, Jan. 1995, 6•page brochure.
"Model 379," Peterbilt Motors Company, Denton, Texas, Mar. 1996, 5•page brochure.
"Model 385," Peterbilt Motors Company, Denton, Texas, Oct. 1996, 5•page brochure.
"Model 357, New Sloped Hood," Peterbilt Motors Company, Denton, Texas, May 2002, 2•page brochure.

* cited by examiner




Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.