

US00D697862S

(12) **United States Design Patent**
Nemeth et al.

(10) **Patent No.:** **US D697,862 S**
(45) **Date of Patent:** **** Jan. 21, 2014**

(54) **CURVED FLIGHT DISPLAY**

(71) Applicants: **Paul R. Nemeth**, Springville, IA (US);
Kyle P. Dotson, Cedar Rapids, IA (US);
James D. Sampica, Anamosa, IA (US);
Ryan N. Klaassen, Marion, IA (US)

(72) Inventors: **Paul R. Nemeth**, Springville, IA (US);
Kyle P. Dotson, Cedar Rapids, IA (US);
James D. Sampica, Anamosa, IA (US);
Ryan N. Klaassen, Marion, IA (US)

(73) Assignee: **Rockwell Collins, Inc.**, Cedar Rapids, IA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/452,335**

(22) Filed: **Apr. 15, 2013**

(51) **LOC (10) Cl.** **12-07**

(52) **U.S. Cl.**
USPC **D12/345**; D12/192; D14/127

(58) **Field of Classification Search**
USPC D12/192, 319, 345, 415; D21/430, 442,
D21/447, 448, 449, 450, 451; 244/1 R,
244/117 R, 118.5, 220, 221, 234; 446/7;
280/1.12, 1.21; D14/127, 373, 337,
D14/306; 340/945-947, 971, 973-975, 980;
701/3, 11, 14, 17, 467; 345/1.1;
348/14.01; 353/98; 434/38, 44
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,656,506	A *	4/1987	Ritchey	348/39
5,582,518	A *	12/1996	Henique et al.	434/44
5,926,153	A *	7/1999	Ohishi et al.	345/1.1
6,152,739	A *	11/2000	Amery et al.	434/38
D448,024	S *	9/2001	Kim	D14/337
D455,423	S *	4/2002	Cellini et al.	D14/305
D469,746	S *	2/2003	Soule, Jr.	D14/127
D476,325	S *	6/2003	Monson et al.	D14/306
6,814,578	B2 *	11/2004	Vorst	434/38

6,980,198	B1 *	12/2005	Gyde et al.	345/157
7,256,710	B2 *	8/2007	Mumaw et al.	340/973
D556,107	S *	11/2007	Figueiredo	D12/192
7,307,549	B2 *	12/2007	Firra	340/974
D581,380	S *	11/2008	Derocher et al.	D14/127
D585,857	S *	2/2009	Monson et al.	D14/127
7,710,448	B2 *	5/2010	De Beer et al.	348/14.01
D618,644	S *	6/2010	Graham et al.	D14/127

(Continued)

Primary Examiner — Caron D Veynar

Assistant Examiner — Martie K Holtje

(74) *Attorney, Agent, or Firm* — Donna P. Suchy; Daniel M. Barbieri

(57) **CLAIM**

The ornamental design for a curved flight display, as shown and described.

DESCRIPTION

FIG. 1 is a top front perspective view of a four display window embodiment of a curved flight display, showing our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof, the left side being a mirror image thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a top front perspective view of a three display window embodiment of a curved flight display, showing a second embodiment of our new design;

FIG. 7 is a front elevational view thereof;

FIG. 8 is a right side elevational view thereof, the left side being a mirror image thereof;


FIG. 9 is a top plan view thereof; and,

FIG. 10 is a bottom plan view thereof.

The support structure depicted by broken line-work in FIGS. 1 and 6 has been provided for the purpose of illustrating environment that forms no part of the claimed design.

The rear structure depicted by broken lines in FIGS. 1, 3 through 6, and 8 through 10, has been shown for the purpose of illustrating portions of the curved flight display that form no part of the claimed design.

1 Claim, 6 Drawing Sheets



US D697,862 S

Page 2

(56)


References Cited

U.S. PATENT DOCUMENTS

D630,142 S *	1/2011	da Silveira et al.	D12/192	8,102,331 B1 *	1/2012	Moscovitch	345/1.1
D634,745 S *	3/2011	Park et al.	D14/373	D678,153 S *	3/2013	Amante et al.	D12/192
7,928,863 B2 *	4/2011	Firra	340/971	D679,707 S *	4/2013	Aarrestad et al.	D14/373
				2010/0123880 A1 *	5/2010	Oren	353/98
				2010/0332054 A1 *	12/2010	Brandao et al.	701/3

* cited by examiner

FIG. 1






FIG. 2




FIG. 3




FIG. 4





FIG. 5

FIG. 6






FIG. 7




FIG. 8




FIG. 9




FIG. 10