



US00D698028S

(12) **United States Design Patent**
Kasabach et al.

(10) **Patent No.:** **US D698,028 S**
(45) **Date of Patent:** **** *Jan. 21, 2014**

(54) **DISPLAY DEVICE SET WITH ALTERNATE ATTACHMENT MEANS**

(71) Applicant: **BodyMedia, Inc.**, Pittsburgh, PA (US)
(72) Inventors: **Christopher D. Kasabach**, Pittsburgh, PA (US); **Vanessa Sica Kasabach**, Pittsburgh, PA (US); **Jeffrey Francis Williams**, Edinboro, PA (US); **John Stivoric**, Pittsburgh, PA (US); **Christopher D. Pacione**, Pittsburgh, PA (US)

(73) Assignee: **BodyMedia, Inc.**, Pittsburgh, PA (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/434,003**

(22) Filed: **Oct. 9, 2012**

Related U.S. Application Data

(60) Continuation of application No. 29/384,128, filed on Jan. 27, 2011, now abandoned, which is a division of application No. 29/256,362, filed on Mar. 20, 2006, now Pat. No. Des. 632,396.

(51) **LOC (10) Cl.** **24-01**

(52) **U.S. Cl.**
USPC **D24/186**

(58) **Field of Classification Search**
USPC D24/107, 138, 144, 158, 164, 165, 167, D24/186-187, 231; D10/31-38; 600/407, 600/461, 459, 447, 439, 446, 500, 503, 600/509; 368/10

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,795,300	A *	8/1998	Bryars	600/503
D406,346	S *	3/1999	Hirakawa	D24/165
D426,637	S *	6/2000	Ochi et al.	D24/165
6,080,111	A *	6/2000	Pao-Lang	600/500
D440,163	S *	4/2001	Callis	D10/31
D450,849	S *	11/2001	Rantala	D24/165
6,314,058	B1 *	11/2001	Lee	368/10
D452,005	S *	12/2001	Rantala	D24/165
D475,136	S *	5/2003	Taniguchi	D24/165

(Continued)

Primary Examiner — T. Chase Nelson

Assistant Examiner — Mark Cavanna

(74) *Attorney, Agent, or Firm* — GTC Law Group LLP & Affiliates

(57) **CLAIM**

The ornamental design for a display device set with alternate attachment means, as shown and described.

DESCRIPTION

FIG. 1 is a top view of a display module with its associated clip attachment portion of the display device set with alternate attachment means showing our new design;

FIG. 2 is a side elevation view of the display module shown separately for clarity of illustration;

FIG. 3 is a top perspective view thereof;

FIG. 4 is a top perspective view of the display module with its associated clip attachment means;

FIG. 5 is a top perspective exploded view thereof;

FIG. 6 is a top perspective view of the display module with its associated flexible jacket attachment means;


FIG. 7 is a top perspective exploded view thereof;

FIG. 8 is a top perspective view of the display module with its associated wrist attachment means; and,

FIG. 9 is a top perspective exploded view thereof.

The broken lines are included for the purpose of illustrating portions of the display device set with alternate attachment means that forms no part of the claimed design with no claim made to any particular color scheme.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D507,498 S * 7/2005 Hung D10/32
D508,738 S * 8/2005 Lodato et al. D24/167
6,928,317 B2 * 8/2005 Chen 600/509
6,982,930 B1 * 1/2006 Hung 368/10

D540,695 S * 4/2007 Leung D10/31
D565,735 S * 4/2008 Washbon D24/187
D578,222 S * 10/2008 Sakurai et al. D24/187
D585,557 S * 1/2009 Sakurai et al. D24/187
D597,676 S * 8/2009 Copeland et al. D24/187
D603,521 S * 11/2009 Lindberg et al. D24/187
* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9