

US00D698049S

(12) **United States Design Patent**  
**Jiang et al.**

(10) **Patent No.:** **US D698,049 S**  
(45) **Date of Patent:** **\*\* Jan. 21, 2014**

(54) **SOLID STATE LIGHTING SPOT**

(56) **References Cited**

(75) Inventors: **Hao Jiang**, Shanghai (CN); **Bao Wang**, Nanjing (CN)

U.S. PATENT DOCUMENTS

(73) Assignee: **Koninklijke Philips N.V.**, Eindhoven (NL)

D534,665 S *	1/2007	Egawa et al. ....	D26/2
D542,426 S *	5/2007	Itaya et al. ....	D26/2
D549,361 S *	8/2007	To et al. ....	D26/2
D581,556 S *	11/2008	To et al. ....	D26/2
D600,367 S *	9/2009	Bertram et al. ....	D26/2
D602,614 S *	10/2009	Takahashi et al. ....	D26/2
D617,918 S *	6/2010	Yamamoto et al. ....	D26/2
D635,281 S *	3/2011	Murakami et al. ....	D26/2
D660,469 S *	5/2012	Mase et al. ....	D26/2

(\*\*) Term: **14 Years**

\* cited by examiner

(21) Appl. No.: **29/431,190**

*Primary Examiner* — Marcus Jackson

(22) Filed: **Sep. 5, 2012**

(57) **CLAIM**

(30) **Foreign Application Priority Data**

The ornamental design for a solid state lighting spot, as shown.

Mar. 6, 2012 (EM) ..... 002003988-0002

**DESCRIPTION**

(51) **LOC (10) Cl.** ..... **26-04**


FIG. 1 is a perspective view showing my design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a right side elevational view thereof;  
FIG. 5 is a left side elevational view thereof;  
FIG. 6 is a top plan view thereof; and,  
FIG. 7 is a bottom plan view thereof.

(52) **U.S. Cl.**  
USPC ..... **D26/2**

(58) **Field of Classification Search**  
USPC ..... D26/1-4; 313/313, 315, 316, 317, 318,  
313/493; 315/52, 53, 56, 57, 58

See application file for complete search history.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5






FIG. 6




FIG. 7