



US00D698143S

(12) **United States Design Patent**  
**Myers**(10) **Patent No.:** **US D698,143 S**  
(45) **Date of Patent:** \*\* Jan. 28, 2014(54) **CRUTCH BAG**(71) Applicant: **Terry J. Myers**, Cobleskill, NY (US)5,526,836 A \* 6/1996 Sigsworth ..... 135/66  
D411,654 S 6/1999 Olkey et al.  
6,817,372 B2 11/2004 Ennals et al.(72) Inventor: **Terry J. Myers**, Cobleskill, NY (US)

\* cited by examiner

(\*\*) Term: **14 Years***Primary Examiner* — Holly Baynam(21) Appl. No.: **29/442,306**(74) *Attorney, Agent, or Firm* — Paul R. Martin(22) Filed: **Jan. 29, 2013**(57) **CLAIM**

(51) LOC (10) Cl. ..... 03-01

The ornamental design for a crutch bag, as shown and described.

(52) U.S. Cl.

USPC ..... **D3/232; D3/10****DESCRIPTION**(58) **Field of Classification Search**

FIG. 1 is perspective view of the crutch bag my new design,

USPC ..... D3/10—11, 232; 135/166, 168  
See application file for complete search history.

showing open flaps.

FIG. 2 is a front elevational view thereof.

FIG. 3 is a back elevational view thereof.

FIG. 4 is an elevational view of one side of the device of my new design.


An elevational view of the side opposite to that shown in FIG. 4, is a mirror image thereof.


FIG. 5 is a top plan view thereof; and,

FIG. 6 is a bottom plan view thereof.

(56) **References Cited****1 Claim, 4 Drawing Sheets**

## U.S. PATENT DOCUMENTS

4,146,045 A 3/1979 Grant  
4,491,257 A 1/1985 Ingles  
4,850,383 A \* 7/1989 McBride ..... 135/66  
D316,776 S \* 5/1991 Yarus ..... D3/11






Fig. 2





Fig. 3

III. 4



III. 5'



III. 6'

