



US00D698233S

(12) **United States Design Patent**
Weinberg

(10) **Patent No.:** **US D698,233 S**
(45) **Date of Patent:** **** Jan. 28, 2014**

(54) **CORD MANAGEMENT CLIP**
(75) Inventor: **Robert Weinberg**, Spring Grove, IL
(US)
(73) Assignee: **Allegiance Corporation**, McGaw, IL
(US)
(**) Term: **14 Years**
(21) Appl. No.: **29/427,135**
(22) Filed: **Jul. 13, 2012**
(51) **LOC (10) Cl.** **08-08**
(52) **U.S. Cl.**
USPC **D8/394; D8/356**
(58) **Field of Classification Search**
USPC D8/354, 356, 371, 394-396; D19/65,
D19/86; D24/128; 248/74.2, 215, 227.1, 49,
248/300, 301, 316.7, 51, 489; 24/570, 3.12;
D32/61; D11/78.1
See application file for complete search history.


(56) **References Cited**
U.S. PATENT DOCUMENTS
761,038 A * 5/1904 Edgerton 24/17 R
947,764 A * 1/1910 Schartow 24/375
(Continued)

Primary Examiner — John Windmuller
(74) *Attorney, Agent, or Firm* — Arent Fox LLP

(57) **CLAIM**
The ornamental design for a cord management clip, as shown and described.

DESCRIPTION
FIG. 1 is a top perspective view of a cord management clip showing my new design, according to a first embodiment; FIG. 2 is a bottom perspective view of the design shown in FIG. 1; FIG. 3 is a front view of the design shown in FIG. 1; FIG. 4 is a back view of the design shown in FIG. 1; FIG. 5 is a left side view of the design shown in FIG. 1; FIG. 6 is a right side view of the design shown in FIG. 1; FIG. 7 is a top view of the design shown in FIG. 1; FIG. 8 is a bottom view of the design shown in FIG. 1; FIG. 9 is a top perspective view of a cord management clip showing my new design, according to a second embodiment; FIG. 10 is a bottom perspective view of the design shown in FIG. 9; FIG. 11 is a front view of the design shown in FIG. 9; FIG. 12 is a back view of the design shown in FIG. 9; FIG. 13 is a left side view of the design shown in FIG. 9; FIG. 14 is a right side view of the design shown in FIG. 9; FIG. 15 is a top view of the design shown in FIG. 9; FIG. 16 is a bottom view of the design shown in FIG. 9; FIG. 17 is a top perspective view of a cord management clip showing my new design, according to a third embodiment; FIG. 18 is a bottom perspective view of the design shown in FIG. 17; FIG. 19 is a front view of the design shown in FIG. 17; FIG. 20 is a back view of the design shown in FIG. 17; FIG. 21 is a left side view of the design shown in FIG. 17; FIG. 22 is a right side view of the design shown in FIG. 17; FIG. 23 is a top view of the design shown in FIG. 17; and, FIG. 24 is a bottom view of the design shown in FIG. 17.

1 Claim, 12 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D292,385 S *	10/1987	Udelhofen	D11/210	D577,574 S *	9/2008	Liang	D8/367
D444,685 S *	7/2001	Shenkel et al.	D8/18	D584,132 S *	1/2009	Judd	D8/356
6,511,214 B1 *	1/2003	Parsons et al.	362/398	D591,200 S *	4/2009	Freeman	D11/218
D494,055 S *	8/2004	Jones et al.	D8/395	D592,039 S *	5/2009	Okuda	D8/356
6,824,292 B2 *	11/2004	Parsons et al.	362/157	D607,712 S *	1/2010	Kelleghan	D8/356
D528,238 S *	9/2006	Kramer	D26/38	D610,208 S *	2/2010	Hou	D21/453
D539,122 S *	3/2007	Tsai	D8/358	D614,017 S *	4/2010	Bender	D8/356
D573,493 S *	7/2008	Tsai	D10/72	D626,393 S *	11/2010	Ormsbee	D8/34
				D646,556 S *	10/2011	Kelleghan	D8/356
				D652,710 S *	1/2012	Yokota et al.	D8/356
				D686,906 S *	7/2013	Vick et al.	D8/356

* cited by examiner




FIG.1




FIG.2




FIG.3




FIG.4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG.11




FIG.12



FIG. 13



FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG.20



FIG. 21



FIG. 22




FIG. 23




FIG. 24