



US00D698233S

(12) **United States Design Patent**
Weinberg

(10) **Patent No.:** **US D698,233 S**

(45) **Date of Patent:** **** Jan. 28, 2014**

(54) **CORD MANAGEMENT CLIP**

(75) Inventor: **Robert Weinberg**, Spring Grove, IL
(US)

(73) Assignee: **Allegiance Corporation**, McGaw, IL
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/427,135**

(22) Filed: **Jul. 13, 2012**

(51) **LOC (10) Cl.** **08-08**

(52) **U.S. Cl.**
USPC **D8/394**; D8/356

(58) **Field of Classification Search**
USPC D8/354, 356, 371, 394-396; D19/65,
D19/86; D24/128; 248/74.2, 215, 227.1, 49,
248/300, 301, 316.7, 51, 489; 24/570, 3.12;
D32/61; D11/78.1

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

761,038 A * 5/1904 Edgerton 24/17 R
947,764 A * 1/1910 Schartow 24/375

(Continued)

Primary Examiner — John Windmuller

(74) *Attorney, Agent, or Firm* — Arent Fox LLP

(57) **CLAIM**

The ornamental design for a cord management clip, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a cord management clip showing my new design, according to a first embodiment; FIG. 2 is a bottom perspective view of the design shown in FIG. 1;

FIG. 3 is a front view of the design shown in FIG. 1; FIG. 4 is a back view of the design shown in FIG. 1; FIG. 5 is a left side view of the design shown in FIG. 1; FIG. 6 is a right side view of the design shown in FIG. 1;


FIG. 7 is a top view of the design shown in FIG. 1; FIG. 8 is a bottom view of the design shown in FIG. 1; FIG. 9 is a top perspective view of a cord management clip showing my new design, according to a second embodiment; FIG. 10 is a bottom perspective view of the design shown in FIG. 9;

FIG. 11 is a front view of the design shown in FIG. 9; FIG. 12 is a back view of the design shown in FIG. 9; FIG. 13 is a left side view of the design shown in FIG. 9; FIG. 14 is a right side view of the design shown in FIG. 9; FIG. 15 is a top view of the design shown in FIG. 9; FIG. 16 is a bottom view of the design shown in FIG. 9;

FIG. 17 is a top perspective view of a cord management clip showing my new design, according to a third embodiment; FIG. 18 is a bottom perspective view of the design shown in FIG. 17;

FIG. 19 is a front view of the design shown in FIG. 17; FIG. 20 is a back view of the design shown in FIG. 17; FIG. 21 is a left side view of the design shown in FIG. 17; FIG. 22 is a right side view of the design shown in FIG. 17; FIG. 23 is a top view of the design shown in FIG. 17; and, FIG. 24 is a bottom view of the design shown in FIG. 17.

1 Claim, 12 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D292,385 S * 10/1987 Udelhofen D11/210
D444,685 S * 7/2001 Shenkel et al. D8/18
6,511,214 B1 * 1/2003 Parsons et al. 362/398
D494,055 S * 8/2004 Jones et al. D8/395
6,824,292 B2 * 11/2004 Parsons et al. 362/157
D528,238 S * 9/2006 Kramer D26/38
D539,122 S * 3/2007 Tsai D8/358
D573,493 S * 7/2008 Tsai D10/72

D577,574 S * 9/2008 Liang D8/367
D584,132 S * 1/2009 Judd D8/356
D591,200 S * 4/2009 Freeman D11/218
D592,039 S * 5/2009 Okuda D8/356
D607,712 S * 1/2010 Kelleghan D8/356
D610,208 S * 2/2010 Hou D21/453
D614,017 S * 4/2010 Bender D8/356
D626,393 S * 11/2010 Ormsbee D8/34
D646,556 S * 10/2011 Kelleghan D8/356
D652,710 S * 1/2012 Yokota et al. D8/356
D686,906 S * 7/2013 Vick et al. D8/356

* cited by examiner




FIG.1




FIG.2




FIG.3




FIG.4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG.11




FIG.12



FIG. 13



FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG.20



FIG. 21




FIG. 22




FIG. 23




FIG. 24