



US00D698270S

(12) **United States Design Patent**
Tamanaja

(10) **Patent No.:** **US D698,270 S**
(45) **Date of Patent:** **** Jan. 28, 2014**

(54) **SEISMIC NODE**

(75) Inventor: **Ivan Torres Tamanaja**, Mexico City
(MX)

(73) Assignee: **CGGVeritas Services SA**, Massy Cedex
(FR)

(**) Term: **14 Years**

(21) Appl. No.: **29/432,221**

(22) Filed: **Sep. 14, 2012**

(51) **LOC (10) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/83**

(58) **Field of Classification Search**
USPC D10/83-84; 181/110, 112, 118, 120,
181/122; 367/15, 16, 77, 78
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,625,083 B2 9/2003 Vandembroucke
6,932,185 B2 8/2005 Bary et al.

7,646,670 B2 * 1/2010 Maxwell et al. 367/15
8,228,761 B2 * 7/2012 Ray et al. 367/178
8,400,879 B2 * 3/2013 Liao 367/177

FOREIGN PATENT DOCUMENTS

EP 1 217 390 A1 6/2006

* cited by examiner

Primary Examiner — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Patent Portfolio Builders
PLLC

(57) **CLAIM**

The ornamental design for a seismic node, substantially as
shown and described.

DESCRIPTION

FIG. 1 is a front perspective view;
FIG. 2 is a rear perspective view;
FIG. 3 is a side elevational view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is another side elevational view thereof; and,
FIG. 6 is a bottom plan view thereof.

1 Claim, 3 Drawing Sheets





Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6

