



US00D698270S

(12) **United States Design Patent**  
**Tamanaja**

(10) **Patent No.:** **US D698,270 S**  
(45) **Date of Patent:** **\*\* Jan. 28, 2014**

(54) **SEISMIC NODE**

(75) Inventor: **Ivan Torres Tamanaja**, Mexico City  
(MX)

(73) Assignee: **CGGVeritas Services SA**, Massy Cedex  
(FR)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/432,221**

(22) Filed: **Sep. 14, 2012**

(51) **LOC (10) Cl.** ..... **10-04**

(52) **U.S. Cl.**  
USPC ..... **D10/83**

(58) **Field of Classification Search**  
USPC ..... D10/83-84; 181/110, 112, 118, 120,  
181/122; 367/15, 16, 77, 78  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

6,625,083 B2 9/2003 Vandembroucke  
6,932,185 B2 8/2005 Bary et al.

7,646,670 B2 \* 1/2010 Maxwell et al. .... 367/15  
8,228,761 B2 \* 7/2012 Ray et al. .... 367/178  
8,400,879 B2 \* 3/2013 Liao ..... 367/177

**FOREIGN PATENT DOCUMENTS**

EP 1 217 390 A1 6/2006

\* cited by examiner

*Primary Examiner* — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Patent Portfolio Builders  
PLLC

(57) **CLAIM**

The ornamental design for a seismic node, substantially as  
shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view;  
FIG. 2 is a rear perspective view;  
FIG. 3 is a side elevational view thereof;  
FIG. 4 is a top plan view thereof;  
FIG. 5 is another side elevational view thereof; and,  
FIG. 6 is a bottom plan view thereof.

**1 Claim, 3 Drawing Sheets**





Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6

