



US00D698273S

(12) **United States Design Patent**
Sayegh et al.

(10) **Patent No.:** **US D698,273 S**
(45) **Date of Patent:** **** Jan. 28, 2014**

(54) **THEFT DETERRENT APPARATUS WITH GLASS VIAL AND REMOVABLE PIN**

(71) Applicants: **Adel O. Sayegh**, Rancho Cucamonga, CA (US); **Edgardo M. Redublo**, Chino Hills, CA (US); **Jimin Xi**, Hangzhou (CN)

(72) Inventors: **Adel O. Sayegh**, Rancho Cucamonga, CA (US); **Edgardo M. Redublo**, Chino Hills, CA (US); **Jimin Xi**, Hangzhou (CN)

(73) Assignee: **USS Technologies, LLC**, Rancho Cucamonga, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/436,073**

(22) Filed: **Oct. 31, 2012**

(51) **LOC (10) Cl.** **10-05**

(52) **U.S. Cl.**
USPC **D10/106.91**

(58) **Field of Classification Search**
USPC D10/106.9-10.94; 70/57.1
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,207,960 A	12/1916	McNeil
D175,680 S	9/1955	Glasgow
3,009,382 A	11/1961	Salka
D203,876 S	2/1966	Dowit
3,911,534 A	10/1975	Martens et al.
4,299,040 A	11/1981	Minasy
4,531,264 A	7/1985	Minasy
4,944,075 A	7/1990	Hogan
4,987,754 A	1/1991	Minasy et al.
5,031,287 A	7/1991	Charlot et al.
5,054,172 A	10/1991	Hogan et al.
5,069,047 A	12/1991	Lynch et al.
5,095,596 A	3/1992	Dahood

5,205,024 A	4/1993	Willard
5,208,580 A	5/1993	Crossfield
D344,033 S	2/1994	Davidge
D346,126 S	4/1994	Hedrikx
5,309,740 A	5/1994	Hansen
5,347,262 A	9/1994	Thurmond et al.
D352,913 S	11/1994	Garner et al.
D354,924 S	1/1995	Garnet et al.
5,428,875 A	7/1995	Nguyen et al.
RE35,361 E	10/1996	Hogan et al.
5,680,681 A	10/1997	Fuss
5,745,965 A	5/1998	Stoltz et al.

(Continued)

OTHER PUBLICATIONS

Photo of Universal Surveillance Corporation's Smart Ink™ Tag.

(Continued)

Primary Examiner — George D Kirschbaum

(74) *Attorney, Agent, or Firm* — Milord A. Keshishian




(57) **CLAIM**

The ornamental design for a theft deterrent apparatus with glass vial and removable pin, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the apparatus in an engaged state;
 FIG. 2 is a perspective view from the top of the apparatus in an unengaged state;
 FIG. 3 is a top plan view of the apparatus;
 FIG. 4 is a bottom plan view of the upper portion of the apparatus in an unengaged state;
 FIG. 5 is a top perspective view of the bottom portion of the apparatus in an unengaged state;
 FIG. 6 is a side plan view of the apparatus in an engaged state;
 FIG. 7 is a side plan view of the apparatus in an engaged state; and,
 FIG. 8 is a bottom plan view of the apparatus.
 The top and bottom portions have been shown separately in FIGS. 4 and 5 for convenience of illustration.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

5,841,349 A 11/1998 Holmgren
5,852,856 A 12/1998 Seidel
D410,400 S 6/1999 Skjellerup
5,953,799 A 9/1999 Seidel
D424,462 S * 5/2000 Suzuki et al. D10/106.9
D428,058 S 7/2000 Wagner
6,191,692 B1 2/2001 Stoltz et al.
D478,833 S 8/2003 Belden et al.
D483,253 S 12/2003 Sayegh et al.

D494,488 S 8/2004 Sayegh
7,084,766 B2 8/2006 Sayegh
D603,739 S * 11/2009 Skjellerup D10/104.1
D610,479 S * 2/2010 Shi D10/106.91
D626,441 S 11/2010 Sayegh et al.
2002/0174695 A1 11/2002 Huehner
2004/0016269 A1 1/2004 Skjellerup

OTHER PUBLICATIONS

Photos of EAS Sensorsense, Inc.'s Alarming Ink Tags.
Photos of Best Security Industries Ink Tag.

* cited by examiner




FIG. 1





FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8