



US00D698280S

(12) **United States Design Patent**
Semsey et al.

(10) **Patent No.:** **US D698,280 S**
(45) **Date of Patent:** **** Jan. 28, 2014**

(54) **BALL MOUNT FOR AN APPAREL FASTENER**

D659,592 S * 5/2012 Wang et al. D11/222
D660,199 S * 5/2012 Wang et al. D11/222
8,445,084 B2 * 5/2013 Abate 428/34.4

(71) Applicants: **Barna Semsey**, Monte-Carlo (MC);
Dora Tokai, Monte-Carlo (MC)

* cited by examiner

(72) Inventors: **Barna Semsey**, Monte-Carlo (MC);
Dora Tokai, Monte-Carlo (MC)

Primary Examiner — Mitchell Siegel
(74) *Attorney, Agent, or Firm* — Raj Abhyanker, P.C.

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/437,647**

The ornamental design for a ball mount for an apparel fastener, as shown and described.

(22) Filed: **Nov. 19, 2012**

DESCRIPTION

(51) **LOC (10) Cl.** **11-01**

(52) **U.S. Cl.**

USPC **D11/202**

(58) **Field of Classification Search**

USPC D21/789; D11/202, 204, 222, 223, 226,
D11/40–43, 46–48, 75, 77, 78, 78.1, 79, 86,
D11/95; 24/40, 41.1, 42–48, 49.1, 50, 56,
24/61, 66.1–66.13, 705, 707.5, 95

See application file for complete search history.

FIG. 1 is a perspective view of a ball attached to a detachable pin, according to one embodiment.

FIG. 2 is a top view of the ball attached to the detachable pin of FIG. 1, according to one embodiment.

FIG. 3 is a bottom view of the ball attached to the detachable pin of FIG. 1, according to one embodiment.

FIG. 4 is a side view of the ball attached to the detachable pin of FIG. 1, according to one embodiment.

FIG. 5 is a perspective view of the ball detached from the detachable pin of FIG. 1, according to one embodiment.

FIG. 6 is a side view of the ball of FIG. 1, according to one embodiment.

FIG. 7 is a bottom view of the ball of FIG. 1, according to one embodiment.

FIG. 8 is a bottom view of the detachable pin of FIG. 1, according to one embodiment.

FIG. 9 is a top view of the detachable pin of FIG. 1, according to one embodiment; and,

FIG. 10 is a side view of the detachable pin of FIG. 1, according to one embodiment.


Other features of the present embodiments will be apparent from the accompanying drawings.

(56) **References Cited**

U.S. PATENT DOCUMENTS

394,133 A * 12/1888 Prestwich 24/46
D18,880 S * 1/1889 Burns D11/226
999,171 A * 7/1911 Leu 24/707.5
1,779,227 A * 10/1930 Daughaday D11/222
D221,471 S * 8/1971 Winkler D11/226
D265,811 S * 8/1982 Barr D11/76
4,382,317 A * 5/1983 McDonald et al. 24/705
5,685,049 A * 11/1997 Wu 24/95
D395,715 S * 6/1998 Queen D26/24
D410,038 S * 5/1999 Golad et al. D21/373
D552,054 S * 10/2007 Pena Angarita D14/498
D600,592 S * 9/2009 Dandurand D11/226
D625,659 S * 10/2010 Sawyer D11/222
D645,785 S * 9/2011 Wang et al. D11/222

1 Claim, 10 Drawing Sheets






FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7




FIGURE 8




FIGURE 9




FIGURE 10