



US00D698303S

(12) **United States Design Patent**
Schoenmakers

(10) **Patent No.:** **US D698,303 S**
(45) **Date of Patent:** **** Jan. 28, 2014**

(54) **DOCK FLOAT**

(71) Applicant: **Cypress Designs LLC**, Bellingham, WA (US)

(72) Inventor: **Kevin L. Schoenmakers**, Bellingham, WA (US)

(73) Assignee: **Cypress Designs LLC**, Bellingham, WA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/442,684**

(22) Filed: **Apr. 19, 2013**

(51) **LOC (10) Cl.** **12-06**

(52) **U.S. Cl.**
USPC **D12/316**

(58) **Field of Classification Search**
USPC D12/316, 317; 114/263, 264, 266, 267;
405/27, 218, 219
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,565,369 A	8/1951	Hamilton
2,879,735 A	3/1959	Pointer
D196,402 S	9/1963	Brown
D198,293 S	5/1964	Coffey
3,179,076 A	4/1965	Sheffield
3,752,102 A	8/1973	Shuman
3,760,754 A	9/1973	Drummond et al.
D231,567 S	4/1974	Tabur
D270,529 S	9/1983	Thompson
4,418,634 A	12/1983	Gerbus
D283,220 S	4/1986	Collier
4,604,962 A	8/1986	Guibault
4,655,156 A	4/1987	Svirklys et al.
4,733,626 A	3/1988	Svirklys et al.
D298,428 S	11/1988	Kendle, Jr.

4,799,445 A	1/1989	Meriwether	
4,928,617 A	5/1990	Meriwether	
4,974,538 A	12/1990	Meriwether	
5,183,001 A	2/1993	Stranzinger	
5,251,560 A	10/1993	Ban et al.	
5,460,114 A	10/1995	McMillan	
D366,023 S	1/1996	LeCat	
5,690,523 A	11/1997	Yu	
6,021,730 A	2/2000	Carey, II	
6,033,151 A	3/2000	Tsou	
6,035,797 A	3/2000	Robinson	
6,073,572 A	6/2000	Gruhn et al.	
6,138,600 A	10/2000	Berquist	
6,145,463 A *	11/2000	Zeilinger	114/267
6,179,525 B1	1/2001	Gruhn et al.	
D442,137 S	5/2001	Coon	
6,374,763 B1	4/2002	Hartman	
6,431,106 B1 *	8/2002	Eva et al.	114/263
6,745,714 B1 *	6/2004	Faber	114/263
D496,624 S *	9/2004	Hartman	D12/316
7,117,809 B2 *	10/2006	Lamoureux et al.	114/263
7,213,531 B2	5/2007	Ahern	
7,255,055 B2	8/2007	Whybourne	

(Continued)

Primary Examiner — Cynthia M Chin

(74) *Attorney, Agent, or Firm* — Todd N. Hathaway



(57) **CLAIM**

The ornamental design for a dock float, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a dock float showing my new design;
FIG. 2 is a bottom perspective view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a front elevational view thereof;
FIG. 6 is a right elevational view thereof;
FIG. 7 is a left elevational view thereof; and,
FIG. 8 is a rear elevational view thereof.

1 Claim, 8 Drawing Sheets



US D698,303 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

D558,659 S * 1/2008 Jackson D12/316
D559,165 S * 1/2008 Jackson D12/316
7,426,898 B1 9/2008 Ahern

8,037,837 B2 10/2011 La Violette et al.
D667,772 S 9/2012 Hendren
8,292,547 B2 * 10/2012 Johanneck et al. 405/219
2004/0028478 A1 2/2004 Lekhtman
2007/0245942 A1 10/2007 Sestito et al.

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

