



US00D698394S

(12) **United States Design Patent**  
**Nam**

(10) **Patent No.:** **US D698,394 S**

(45) **Date of Patent:** **\*\* Jan. 28, 2014**

(54) **ALLIGATOR HEAD PUPPET**

(71) Applicant: **Rara Gear**, San Francisco, CA (US)

(72) Inventor: **Chad Nam**, San Francisco, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/444,024**

(22) Filed: **Jan. 25, 2013**

(51) **LOC (10) Cl.** ..... **21-01**

(52) **U.S. Cl.**  
USPC ..... **D21/598**; D21/588; D21/659

(58) **Field of Classification Search**  
USPC ..... D11/158–159; D21/576–585, 587–588,  
D21/598, 658–661, 400, 405; D30/160;  
446/72, 97–98, 268–269, 278, 327,  
446/368–369; D6/598; D2/615, 622  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|              |         |               |       |         |
|--------------|---------|---------------|-------|---------|
| D215,312 S * | 9/1969  | Bernard       | ..... | D21/659 |
| D275,311 S * | 8/1984  | Wolfe         | ..... | D21/598 |
| D319,756 S * | 9/1991  | Kimura        | ..... | D21/598 |
| D352,533 S   | 11/1994 | Wolfe         |       |         |
| D393,026 S   | 3/1998  | Ingram        |       |         |
| D394,288 S   | 5/1998  | Trahan        |       |         |
| D409,714 S   | 5/1999  | Stone         |       |         |
| D410,311 S * | 5/1999  | Ancona et al. | ..... | D21/598 |
| D479,863 S * | 9/2003  | Phillips      | ..... | D21/598 |

\* cited by examiner

*Primary Examiner* — Sandra Morris


(57) **CLAIM**

The ornamental design for an alligator head puppet, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of the alligator head puppet showing my new design;  
 FIG. 2 is a front view thereof;  
 FIG. 3 is a rear view thereof;  
 FIG. 4 is a left side view thereof;  
 FIG. 5 is a right side view thereof;  
 FIG. 6 is a top view thereof;  
 FIG. 7 is a bottom view thereof;  
 FIG. 8 is a front perspective view of the top portion, shown broken away for ease of illustration;  
 FIG. 9 is a front bottom perspective view of the top portion showing a second embodiment of the presently disclosed design, including a fastening strap;  
 FIG. 10 is a front view of the top portion, shown broken away for ease of illustration;  
 FIG. 11 is a rear view thereof;  
 FIG. 12 is a right side view thereof;  
 FIG. 13 is a top plan view thereof;  
 FIG. 14 is a bottom plan view thereof;  
 FIG. 15 is a bottom plan view of the second embodiment of the presently disclosed design;  
 FIG. 16 is a front perspective view of the bottom portion, shown broken away for ease of illustration;  
 FIG. 17 is a front perspective view of the bottom portion showing a third embodiment of the presently disclosed design, including a fastening strap;  
 FIG. 18 is a front view of the bottom portion, shown broken away for ease of illustration;  
 FIG. 19 is a rear view thereof;  
 FIG. 20 is a right side view thereof;  
 FIG. 21 is a top view thereof;  
 FIG. 22 is a bottom plan view thereof; and,  
 FIG. 23 is a top view of the bottom portion of the third embodiment of the presently disclosed design.

**1 Claim, 23 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5






FIG. 6




FIG. 7






FIG. 8




FIG. 9




FIG. 10




FIG. 11



FIG. 12




FIG. 13




FIG. 14






FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21






FIG. 22




FIG. 23