



US00D698448S

(12) **United States Design Patent**
Heck

(10) **Patent No.:** **US D698,448 S**
(45) **Date of Patent:** **** Jan. 28, 2014**

- (54) **HEAD PAD FOR BACKBOARD**
- (75) Inventor: **Robert W. Heck**, Park City, UT (US)
- (73) Assignee: **EZ Lift Rescue Systems, Inc.**, Park City, UT (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/430,919**
- (22) Filed: **Aug. 31, 2012**
- (51) **LOC (10) Cl.** **24-01**
- (52) **U.S. Cl.**
USPC **D24/191**
- (58) **Field of Classification Search**
USPC D24/183, 184, 188, 190, 191, 192;
D6/601; 602/4-6, 12, 20, 21, 22, 60,
602/62, 63, 64; 128/845, 846, 857, 869,
128/876, 877, 878; 5/600, 622, 628, 636,
5/637, 646, 647, 655
See application file for complete search history.

- 6,763,539 B1 * 7/2004 Bartley et al. 5/655
- D496,463 S * 9/2004 Hunt et al. D24/188
- 6,845,533 B1 1/2005 Tulette
- 6,857,150 B2 * 2/2005 Matthews Brown et al. 5/655
- D552,244 S * 10/2007 Tinsley D24/183

(Continued)

OTHER PUBLICATIONS

<http://thomasems.com>; Thomas E.M.S. A Thomas Transport Packs Company; Thomas Handles; 2 pages; 2006.

(Continued)

Primary Examiner — Susan E Krakower
(74) *Attorney, Agent, or Firm* — Thorpe North & Western LLP


(57) **CLAIM**
The ornamental design for a head pad for backboard, as shown and described.

DESCRIPTION

FIG. 1 is an elevated, perspective view of the head pad for backboard in accordance with my invention; FIG. 2 is a top view of the head pad for backboard of FIG. 1; FIG. 3 is a bottom view of the head pad for backboard of FIG. 1; FIG. 4 is a left side view of the head pad for backboard of FIG. 1; FIG. 5 is a right side view of the head pad for backboard of FIG. 1; FIG. 6 is a front end view of the head pad for backboard of FIG. 1; and, FIG. 7 is a rear end view of the head pad for backboard of FIG. 1. The broken lines shown in FIGS. 1-3 illustrate portions of the head pad for backboard which form no part of the claimed design.

- (56) **References Cited**
U.S. PATENT DOCUMENTS
- 606,355 A 6/1898 Moore
- 3,111,687 A 11/1963 Sacks
- 3,188,079 A * 6/1965 Boetcker et al. 5/622
- 3,663,972 A 5/1972 Denton
- 4,259,757 A * 4/1981 Watson 5/637
- D277,059 S * 1/1985 Boone D6/601
- 4,655,206 A * 4/1987 Moody 5/628
- D292,612 S * 11/1987 Fitsch D24/191
- D311,471 S * 10/1990 Rosen D6/601
- 4,964,418 A * 10/1990 Wilson 128/857
- 5,179,746 A 1/1993 Rogers
- 5,257,429 A * 11/1993 Genis 5/636
- 5,473,784 A 12/1995 Nixon et al.
- D370,586 S * 6/1996 Olah D6/601
- D384,155 S * 9/1997 Crist D24/191
- D391,371 S * 2/1998 Coakley D24/164
- 6,079,067 A * 6/2000 Becker et al. 5/655

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D555,251 S * 11/2007 Riach D24/184
7,520,009 B1 4/2009 Heck
D601,261 S * 9/2009 Levan D24/184
D610,853 S * 3/2010 Straub D6/601
D642,278 S * 7/2011 Sharps et al. D24/184
D670,090 S * 11/2012 Miucci D6/349
D681,995 S * 5/2013 Davis et al. D6/601
2010/0122416 A1 5/2010 Bandel

OTHER PUBLICATIONS

<http://thomasems.com>; Thomas E.M.S. A Thomas Transport Packs Company; Transfer Flat; 2 pages 2006.

<http://www.waukboard.com>; the WauK™ board—A spinal immobilization board with the features of a dolly incorporated . . . ; 3 pages; printed Feb. 8, 2013.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7