



US00D698448S

(12) **United States Design Patent**
Heck

(10) **Patent No.:** **US D698,448 S**

(45) **Date of Patent:** **** Jan. 28, 2014**

(54) **HEAD PAD FOR BACKBOARD**

(75) Inventor: **Robert W. Heck**, Park City, UT (US)

(73) Assignee: **EZ Lift Rescue Systems, Inc.**, Park City, UT (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/430,919**

(22) Filed: **Aug. 31, 2012**

(51) **LOC (10) Cl.** **24-01**

(52) **U.S. Cl.**
USPC **D24/191**

(58) **Field of Classification Search**
USPC D24/183, 184, 188, 190, 191, 192;
D6/601; 602/4-6, 12, 20, 21, 22, 60,
602/62, 63, 64; 128/845, 846, 857, 869,
128/876, 877, 878; 5/600, 622, 628, 636,
5/637, 646, 647, 655

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

606,355	A	6/1898	Moore	
3,111,687	A	11/1963	Sacks	
3,188,079	A *	6/1965	Boetcker et al.	5/622
3,663,972	A	5/1972	Denton	
4,259,757	A *	4/1981	Watson	5/637
D277,059	S *	1/1985	Boone	D6/601
4,655,206	A *	4/1987	Moody	5/628
D292,612	S *	11/1987	Fitsch	D24/191
D311,471	S *	10/1990	Rosen	D6/601
4,964,418	A *	10/1990	Wilson	128/857
5,179,746	A	1/1993	Rogers	
5,257,429	A *	11/1993	Genis	5/636
5,473,784	A	12/1995	Nixon et al.	
D370,586	S *	6/1996	Olah	D6/601
D384,155	S *	9/1997	Crist	D24/191
D391,371	S *	2/1998	Coakley	D24/164
6,079,067	A *	6/2000	Becker et al.	5/655

6,763,539	B1 *	7/2004	Bartley et al.	5/655
D496,463	S *	9/2004	Hunt et al.	D24/188
6,845,533	B1	1/2005	Tulette	
6,857,150	B2 *	2/2005	Matthews Brown et al.	5/655
D552,244	S *	10/2007	Tinsley	D24/183

(Continued)

OTHER PUBLICATIONS

<http://thomasems.com>; Thomas E.M.S. A Thomas Transport Packs Company; Thomas Handles; 2 pages; 2006.

(Continued)

Primary Examiner — Susan E Krakower

(74) *Attorney, Agent, or Firm* — Thorpe North & Western LLP

(57) **CLAIM**


The ornamental design for a head pad for backboard, as shown and described.

DESCRIPTION

FIG. 1 is an elevated, perspective view of the head pad for backboard in accordance with my invention; FIG. 2 is a top view of the head pad for backboard of FIG. 1; FIG. 3 is a bottom view of the head pad for backboard of FIG. 1; FIG. 4 is a left side view of the head pad for backboard of FIG. 1; FIG. 5 is a right side view of the head pad for backboard of FIG. 1; FIG. 6 is a front end view of the head pad for backboard of FIG. 1; and, FIG. 7 is a rear end view of the head pad for backboard of FIG. 1.

The broken lines shown in FIGS. 1-3 illustrate portions of the head pad for backboard which form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D555,251 S * 11/2007 Riach D24/184
7,520,009 B1 4/2009 Heck
D601,261 S * 9/2009 Levan D24/184
D610,853 S * 3/2010 Straub D6/601
D642,278 S * 7/2011 Sharps et al. D24/184
D670,090 S * 11/2012 Miucci D6/349
D681,995 S * 5/2013 Davis et al. D6/601
2010/0122416 A1 5/2010 Bandel

OTHER PUBLICATIONS

<http://thomasems.com>; Thomas E.M.S. A Thomas Transport Packs Company; Transfer Flat; 2 pages 2006.

<http://www.waukboard.com>; the WauK™ board—A spinal immobilization board with the features of a dolly incorporated . . . ; 3 pages; printed Feb. 8, 2013.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7