



US00D698500S

(12) **United States Design Patent**
Banks

(10) **Patent No.:** **US D698,500 S**
(45) **Date of Patent:** **** Jan. 28, 2014**

(54) **FEEDER**

(71) Applicant: **Banks Outdoors Corporation**, Cannon Falls, MN (US)

(72) Inventor: **Robert Banks**, Cannon Falls, MN (US)

(73) Assignee: **Banks Outdoors Corporation**, Cannon Falls, MN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/435,400**

(22) Filed: **Oct. 23, 2012**

(51) **LOC (10) Cl.** **30-03**

(52) **U.S. Cl.**
USPC **D30/121**

(58) **Field of Classification Search**

USPC D30/133, 121, 122, 124, 127, 128, 132,
D30/131; 119/51.01, 61, 51.04, 53, 57.91,
119/54, 53.5, 52.4, 51.11, 63, 61.2, 52.1,
119/57.5, 57.6, 51.13, 62, 75, 500, 501;
239/7, 687, 379, 397.5; 222/199,
222/181.1, 181.2, 185.1, 557, 156, 485,
222/486, 548, 555; 220/200, 227, 247, 262;
221/174, 185.1, 289, 295, 296, 559;
454/35; 209/270, 283, 244; 52/194,
52/192; 49/279, 344, 357; D34/28

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,034,480 A * 5/1962 French 119/57.91
3,598,087 A * 8/1971 Ramser 119/51.11
4,003,339 A * 1/1977 Hostetler 119/57.4
5,794,563 A 8/1998 Klepac
6,082,300 A 7/2000 Futch
6,305,320 B1 10/2001 Fore
6,571,734 B1 6/2003 Finklea

6,622,653 B1 9/2003 Starnes, Jr.
6,684,812 B1 2/2004 Tucker
6,761,129 B1 7/2004 Smith
D518,245 S 3/2006 Denslow et al.
7,028,635 B1 4/2006 Eastman, II
D543,666 S 5/2007 Ross et al.
7,222,583 B2 * 5/2007 Foster et al. 119/57.91
7,302,912 B2 12/2007 Boyer
7,314,406 B2 1/2008 Bilinovich
7,370,605 B2 5/2008 Meritt
7,395,783 B2 * 7/2008 Wooley et al. 119/53.5
7,523,717 B2 4/2009 Nicholes
7,631,614 B2 12/2009 Romeu Guardia
7,891,317 B2 2/2011 Bodenstab et al.
8,096,265 B1 1/2012 Wisecarver
2005/0229860 A1 * 10/2005 Meritt 119/53
2005/0241588 A1 * 11/2005 Foster 119/57.91
2006/0060148 A1 * 3/2006 Boyer 119/57.91
2006/0283396 A1 * 12/2006 Hernandez 119/51.13
2009/0241845 A1 * 10/2009 Croft 119/51.11

* cited by examiner

Primary Examiner — Susan Moon Lee

(57) **CLAIM**

The ornamental design for a feeder, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the feeder of the present invention;

FIG. 2 is a front elevational view of the feeder shown in FIG. 1;


FIG. 3 is a back elevational view of the feeder shown in FIG. 1;

FIG. 4 is a left side elevational view of the feeder shown in FIG. 1;

FIG. 5 is a right side elevational view of the feeder shown in FIG. 1;

FIG. 6 is a top plan view of the feeder shown in FIG. 1; and,
FIG. 7 is a bottom plan view of the feeder shown in FIG. 1.

1 Claim, 7 Drawing Sheets






FIGURE 1




FIGURE 2




Figure 3




Figure 4




FIGURE 5




FIGURE 6




FIGURE 7