



US00D698625S

(12) **United States Design Patent**
Liang

(10) **Patent No.:** **US D698,625 S**
(45) **Date of Patent:** **** Feb. 4, 2014**

(54) **LOCKING DOUBLE CARABINEER**

(71) Applicant: **Nite Ize, Inc.**, Boulder, CO (US)

(72) Inventor: **Robin Liang**, Yangjiang (CN)

(73) Assignee: **Nite Ize, Inc.**, Boulder, CO (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/441,479**

(22) Filed: **Jan. 5, 2013**

(51) **LOC (10) Cl.** **08-05**

(52) **U.S. Cl.**

USPC **D8/356**; D8/367

(58) **Field of Classification Search**

USPC D8/355, 354, 349, 383, 372, 367, 1,
D8/382, 395; 24/592.11, 599.1, 588.1,
24/601.5, 601, 599.9, 598.1, 599.6, 452,
24/129 R, 600.9; 70/59; 63/8, 7, 12, 15,
63/1.14; D12/317; D6/323; 248/301-304,
248/175, 63; 402/35; 114/218, 114;
294/137, 158, 82.19; 410/101; 182/3;
D11/210; D19/32

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

437,380 A * 9/1890 Lundborg 24/600.9
2,064,133 A * 12/1936 Von Schroeder 248/214
3,630,475 A * 12/1971 Barry 248/215
D244,910 S * 7/1977 Chasen et al. D8/367
D271,465 S 11/1983 Boissonnet
D271,466 S * 11/1983 Boissonnet D8/367
D273,273 S 4/1984 Faidide
D282,904 S 3/1986 Faidide
D292,385 S * 10/1987 Udelhofen D11/210
D323,104 S * 1/1992 Russell et al. D8/370
D407,297 S 3/1999 Mihailovic
D425,781 S * 5/2000 Hopper D8/382
D448,655 S 10/2001 Lai

D466,791 S * 12/2002 Kelleghan D8/356
D468,997 S 1/2003 Chang
D475,605 S 6/2003 Kelleghan
D493,092 S 7/2004 Kalat
D508,525 S 8/2005 Goldberg
D521,362 S 5/2006 Kelleghan
D528,238 S 9/2006 Kramer
7,214,171 B2 * 5/2007 Thelen et al. 482/124
D577,574 S 9/2008 Liang
D594,738 S * 6/2009 Kelleghan D8/356
D603,293 S * 11/2009 Merriam-Smith D11/200
D607,712 S * 1/2010 Kelleghan D8/356
D612,710 S * 3/2010 Kelleghan D8/356
D626,393 S * 11/2010 Ormsbee D8/34
D631,332 S * 1/2011 Bauer et al. D8/367

(Continued)

Primary Examiner — Cynthia Underwood

(74) *Attorney, Agent, or Firm* — Patton Boggs LLP

(57) **CLAIM**

The ornamental design for a locking double carabineer, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a locking double carabineer;

FIG. 2 is a rear perspective view of the locking double carabineer of FIG. 1;

FIG. 3 is a front view of the locking double carabineer of FIG. 1;

FIG. 4 is a rear view of the locking double carabineer of FIG. 1;


FIG. 5 is a left view of the locking double carabineer of FIG. 1;

FIG. 6 is a right view of the locking double carabineer of FIG. 1;

FIG. 7 is a top view of the locking double carabineer of FIG. 1; and,

FIG. 8 is a bottom view of the locking double carabineer of FIG. 1.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D631,333 S * 1/2011 Bauer et al. D8/367

D637,473 S * 5/2011 Mitchell D8/336

D646,556 S * 10/2011 Kelleghan D8/356

8,151,419 B2 * 4/2012 Rolain et al. 24/601.5

D665,655 S * 8/2012 Ishii D8/367

D669,764 S * 10/2012 Kelleghan D8/356

D670,555 S * 11/2012 Lin D8/367

D684,845 S * 6/2013 Wood D8/356

D686,058 S * 7/2013 Paik et al. D8/356

D688,118 S * 8/2013 Hobson D8/356

2005/0087662 A1 * 4/2005 Jacobs 248/339

2007/0119891 A1 * 5/2007 Lawrence 224/669

2009/0000086 A1 * 1/2009 Bing 24/592.11

* cited by examiner





FIG. 1

FIG. 2







FIG. 3

FIG. 4






FIG. 5




FIG. 6




FIG. 7




FIG. 8