



US00D698850S

(12) **United States Design Patent**
Chen et al.

(10) **Patent No.:** **US D698,850 S**
(45) **Date of Patent:** **** Feb. 4, 2014**

- (54) **FLASH TRIGGER RECEIVER**
- (71) Applicant: **Eternal Fortune (HK) Ltd.**, Kln (HK)
- (72) Inventors: **Yuan Bo Chen**, Guangdong Province (CN); **Hung Lok Poon**, Kln (HK)
- (73) Assignee: **Eternal Fortune (HK) Ltd.**, Kln (HK)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/453,661**
- (22) Filed: **May 1, 2013**

- 6,832,729 B1 12/2004 Perry et al.
- 7,630,014 B2 12/2009 Pardikes
- 7,965,335 B2 6/2011 Niblock

OTHER PUBLICATIONS

David A. Selby. Basic flash trigger from Phottix has rotating transmitter. Lighting Rumors. Oct. 5, 2012 [online], [retrieved on Jan. 25, 2013]. Retrieved from the Internet <URL: <http://www.lightingrumours.com/basic-flash-trigger-from-phottix-has-rotating-transmitter-2869>>.*

David A. Selby. Basic flash trigger from Phottix has rotating transmitter. Lighting Rumours. Oct. 5, 2012 [online], [retrieved on Jan. 25, 2013]. Retrieved from the Internet <URL: <http://www.lightingrumours.com/basic-flash-trigger-from-phottix-has-rotating-transmitter-2869>>.

* cited by examiner

Primary Examiner — Philip S Hyder

Assistant Examiner — Darlington Ly

(74) *Attorney, Agent, or Firm* — RatnerPrestia

(57) **CLAIM**

The ornamental design for a flash trigger receiver, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of a flash trigger receiver; FIG. 2 is a rear elevation view of the flash trigger receiver of FIG. 1;

FIG. 3 is a top plan view of the flash trigger receiver of FIG. 1;

FIG. 4 is a bottom plan view of the flash trigger receiver of FIG. 1;

FIG. 5 is a left elevation view of the flash trigger receiver of FIG. 1; and,

FIG. 6 is a right elevation view of the flash trigger receiver of FIG. 1.

The broken line showing of the flash trigger receiver forms no part of the claimed design.

1 Claim, 3 Drawing Sheets



Related U.S. Application Data

- (62) Division of application No. 29/423,120, filed on May 29, 2012, now Pat. No. Des. 688,293.
- (51) **LOC (10) Cl.** **16-05**
- (52) **U.S. Cl.**
USPC **D16/239**; D16/237
- (58) **Field of Classification Search**
USPC D16/237, 239, 250; D14/217, 218, 299;
D13/168; 455/352; 348/734
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D180,551 S * 7/1957 Gribin et al. D14/218
- 3,148,330 A * 9/1964 Malerbi 396/195
- D234,370 S * 2/1975 Oberheim et al. D16/240
- D250,893 S * 1/1979 Ozawa D16/239
- D255,689 S * 7/1980 Ap et al. D16/239
- D265,831 S * 8/1982 Schultes et al. D16/239
- D366,262 S * 1/1996 Inaba D14/218
- D395,311 S * 6/1998 Parsadayan et al. D14/218
- D395,312 S 6/1998 Parsadayan et al.
- D412,338 S 7/1999 Goto et al.
- D433,675 S 11/2000 Carranco et al.
- D450,313 S 11/2001 Koinuma
- D487,064 S * 2/2004 Stekelenburg D13/168






FIG. 2




FIG. 1




FIG. 3




FIG. 4




FIG. 6




FIG. 5