



US00D698976S

(12) **United States Design Patent**
Edwards, Jr. et al.

(10) **Patent No.:** **US D698,976 S**
(45) **Date of Patent:** **** Feb. 4, 2014**

(54) **LIGHTING FIXTURE WITH TUBULAR LENS**

(75) Inventors: **Richard D. Edwards, Jr.**, Westerly, RI (US); **Stanley A. Katz**, Westerly, RI (US)

(73) Assignee: **GreenDot Technologies, LLC**, Mansfield, MA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/386,937**

(22) Filed: **Mar. 7, 2011**

(51) **LOC (10) Cl.** **26-03**

(52) **U.S. Cl.**
USPC **D26/75**

(58) **Field of Classification Search**
USPC D26/1-3, 24, 56, 72, 74-86, 88-91;
D13/180, 182; 362/150,
362/217.01-217.05, 217.08, 217.09, 260,
362/364, 365, 366, 404, 555, 576, 800
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D142,429	S	*	9/1945	Lepore	D26/78
4,866,584	A		9/1989	Plewman		
5,437,504	A		8/1995	Halvatzis		
6,132,061	A		10/2000	Andrus et al.		
6,135,613	A		10/2000	Bodell et al.		
6,193,394	B1		2/2001	Herst et al.		

6,386,736 B1 5/2002 Reiff et al.
6,425,681 B1 7/2002 Agabekov
6,561,676 B1 5/2003 Fischer et al.
6,749,322 B2 6/2004 Chen

(Continued)

OTHER PUBLICATIONS

Edwards, "U.S. Appl. No. 13/041,807, Vapor-Tight Lighting Fixture", Mar. 7, 2011.

(Continued)

Primary Examiner — Zenia Bennett

(74) *Attorney, Agent, or Firm* — Loginov & Sicard; William A. Loginov

(57) **CLAIM**


The ornamental design for a lighting fixture with tubular lens, substantially as shown.

DESCRIPTION

FIG. 1 is a perspective view of a lighting fixture with tubular lens;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a right side elevation view thereof;
FIG. 5 is a left side elevation view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.

The broken line elements in all views are for illustrative and environmental purposes only and form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,962,425 B1 11/2005 Rhee
6,979,097 B2 12/2005 Elam et al.
D549,382 S 8/2007 Lee
7,284,878 B2 10/2007 Dorogi et al.
7,300,180 B2 11/2007 Hutchison et al.
7,303,310 B2 12/2007 You et al.
D589,199 S 3/2009 Pedersen
7,513,675 B2 4/2009 Mier-Langner et al.
7,524,090 B2 4/2009 Hargreaves
7,674,005 B2 3/2010 Chung et al.
D633,642 S * 3/2011 Wauters D26/85
D638,566 S * 5/2011 Goelz et al. D26/75
D647,241 S * 10/2011 Takahashi et al. D26/76
D663,065 S * 7/2012 Beghelli D26/76
2006/0198132 A1 9/2006 Trigiani et al.
2008/0285266 A1 11/2008 Thomas
2010/0085768 A1 4/2010 Pickett et al.

2010/0214785 A1 8/2010 Chen
2010/0253226 A1 10/2010 Oki
2010/0271812 A1 10/2010 Harnischmacher et al.
2010/0271825 A1 10/2010 Black et al.

OTHER PUBLICATIONS

Edwards, "U.S. Appl. No. 29/386,949, Endcap for a Lighting Fixture with Tubular Lens", Mar. 7, 2011.
Edwards, "U.S. Appl. No. 29/386,951, Housing Assembly for a Lighting Fixture", Mar. 7, 2011.
Katz, "U.S. Appl. No. 29/395,953, Housing End for Lighting Fixture", Mar. 7, 2011.
"Enclosed & Gasketed Acrylic Tube, Severe Environment", Feb. 9, 2010, Publisher: Columbia Lighting, Published in: US.

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7