

US00D699135S

(12) **United States Design Patent**
Gateman

(10) **Patent No.:** **US D699,135 S**
(45) **Date of Patent:** **** Feb. 11, 2014**

(54) **NODE CAPSULE FOR A SEISMIC NODE**

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,384,753 A * 1/1995 Sanders 367/20
5,392,258 A * 2/1995 Gabrielson et al. 367/149
7,586,809 B2 * 9/2009 Luc 367/15

* cited by examiner

Primary Examiner — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Thomas & Karceski, P.C.

(57) **CLAIM**

The ornamental design of a node capsule for a seismic node,
as described in the drawings.

DESCRIPTION

FIG. 1 is a left, front, top perspective view of a node capsule
for a seismic node.

FIG. 2 is an additional left, front, top perspective view of the
node capsule for a seismic node shown in FIG. 1.

FIG. 3 is a left, back, top perspective view of the node capsule
for a seismic node shown in FIGS. 1 and 2.

FIG. 4 is an additional back perspective view of the node
capsule for a seismic node as shown in FIGS. 1-3.

FIG. 5 is a left, front, bottom perspective view of the node
capsule for a seismic node shown in FIGS. 1-4; and,

FIG. 6 is right, front, bottom perspective view of the node
capsule for a seismic node shown in FIGS. 1-5.

1 Claim, 6 Drawing Sheets

(71) Applicant: **MagSeis AS**, Oslo (NO)

(72) Inventor: **Jan Bertil Gateman**, Bekkestua (NO)

(73) Assignee: **MagSeis AS** (NO)

(**) Term: **14 Years**

(21) Appl. No.: **29/436,533**

(22) Filed: **Nov. 7, 2012**

(30) **Foreign Application Priority Data**

Jun. 7, 2012 (NO) DS20120517

(51) **LOC (10) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/83**

(58) **Field of Classification Search**
USPC D10/83-84; 181/110, 112, 118, 120,
181/122; 367/15, 16, 77, 78

See application file for complete search history.





FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6

