

US00D699193S

(12) **United States Design Patent**
Zeller et al.

(10) **Patent No.:** **US D699,193 S**
(45) **Date of Patent:** **** Feb. 11, 2014**

(54) **FIBER OPTIC CABLE BEND RADIUS LIMITER**

(75) Inventors: **Mark L. Zeller**, Pullman, WA (US);
James R. Kesler, Pullman, WA (US)

(73) Assignee: **Schweitzer Engineering Laboratories Inc.**, Pullman, WA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/383,802**

(22) Filed: **Jan. 21, 2011**

(51) **LOC (10) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/155**

(58) **Field of Classification Search**

USPC D13/155, 133, 149, 150, 153, 154, 156,
D13/157, 158, 184, 199; D8/349, 356, 358,
D8/359; 174/68.1, 68.3, 73.1, 84 S, 94 R,
174/135; 248/49, 63, 71, 74.4, 229.1,
248/229.11, 309.1; 385/134, 135, 136, 137;
439/501

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,093,885 A * 3/1992 Anton 385/134
5,319,732 A * 6/1994 Jones 385/135
6,134,370 A 10/2000 Childers

(Continued)

Primary Examiner — Derrick Holland

(74) *Attorney, Agent, or Firm* — Richard M. Edge

(57) **CLAIM**

We claim the ornamental design for a fiber optic cable bend radius limiter, substantially as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a first embodiment of a fiber optic cable bend radius limiter showing our new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a left side elevation view thereof, with the right side elevation being a mirror image;

FIG. 5 is a front elevation view thereof, with the rear elevation being a mirror image;

FIG. 6 is a bottom perspective view thereof;

FIG. 7 is a cross-sectional view of a second embodiment of a fiber optic cable bend radius limiter taken along line 7-7 of FIG. 5, it being understood that the other views of the second embodiment are identical to that shown in FIGS. 1-6 and described with respect thereto;

FIG. 8 is an exploded cross-sectional view thereof, taken along line 8-8 of FIG. 9;

FIG. 9 is an exploded left side elevation view thereof, with the exploded right side elevation, exploded front elevation, and exploded rear elevation views being mirror images;

FIG. 10 is a cross-sectional view of a third embodiment of a fiber optic cable bend radius limiter taken along line 10-10 of FIG. 5, it being understood that the other views of the third embodiment are identical to that shown in FIGS. 1-6 and described with respect thereto;

FIG. 11 is an exploded cross-sectional view thereof, taken along line 11-11 of FIG. 12;

FIG. 12 is an exploded left side elevation view thereof, with the exploded right side elevation, exploded front elevation, and exploded rear elevation views being mirror images;


FIG. 13 is a cross-sectional view of a fourth embodiment of a fiber optic cable bend radius limiter taken along line 13-13 of FIG. 5, it being understood that the other views of the fourth embodiment are identical to that shown in FIGS. 1-6 and described with respect thereto;

FIG. 14 is an exploded cross-sectional view thereof, taken along line 14-14 of FIG. 15; and,

FIG. 15 is an exploded left side elevation view thereof, with the exploded right side elevation, exploded front elevation, and exploded rear elevation views being mirror images.

The broken lines shown represent unclaimed subject matter and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D446,190 S * 8/2001 Wakileh et al. D13/155

D446,191 S 8/2001 Wakileh

D446,505 S * 8/2001 Wakileh et al. D13/155

6,546,179 B2 4/2003 Petri

6,708,918 B2 * 3/2004 Ferris et al. 242/615

* cited by examiner




Figure 1




Figure 2

Figure 3





Figure 4







Figure 6






Figure 10




Figure 11

Figure 12

