

US00D699364S

(12) **United States Design Patent**  
**Chiang et al.**

(10) **Patent No.:** **US D699,364 S**  
(45) **Date of Patent:** **\*\* Feb. 11, 2014**

- (54) **ANTI HUMPBACK BRACE**
- (71) Applicant: **Plus Meditech Co., Ltd.**, Tainan (TW)
- (72) Inventors: **Yueh-Hua Chiang**, Taipei (TW);  
**Chien-Min Fang**, Taipei (TW)
- (73) Assignee: **Plus Meditech Co., Ltd.**, Tainan (TW)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/434,729**
- (22) Filed: **Oct. 16, 2012**
- (51) **LOC (10) Cl.** ..... **24-04**
- (52) **U.S. Cl.**  
USPC ..... **D24/190**
- (58) **Field of Classification Search**  
USPC ..... D24/190; D29/100, 101.1, 101.3;  
D21/683; 602/4, 19; 128/102.1, 869,  
128/875, DIG. 15, DIG. 19; 2/44, 102, 908;  
D2/701, 703, 714  
See application file for complete search history.

3,182,655	A *	5/1965	Nelkin	.....	602/19
3,724,452	A *	4/1973	Nitschke	.....	602/18
D245,537	S *	8/1977	Gurgiolo	.....	D24/190
D300,340	S *	3/1989	Faulconer	.....	D24/110.5
5,007,412	A *	4/1991	DeWall	.....	602/19
D334,063	S *	3/1993	DeWall	.....	D24/190
5,362,304	A *	11/1994	Varn	.....	602/19
D499,806	S *	12/2004	Machin et al.	.....	D24/190
6,852,087	B1 *	2/2005	Dainese	.....	602/19
D600,859	S *	9/2009	Hill et al.	.....	D29/101.1
D640,380	S *	6/2011	Tweardy et al.	.....	D24/190
8,066,654	B2 *	11/2011	Sandifer et al.	.....	602/19

\* cited by examiner

*Primary Examiner* — Susan E Krakower  
(74) *Attorney, Agent, or Firm* — patenttm.us


(57) **CLAIM**  
The ornamental design for an anti humpback brace, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of an anti humpback brace showing our new design;  
FIG. 2 is a front view thereof;  
FIG. 3 is a rear view thereof;  
FIG. 4 is a left view thereof;  
FIG. 5 is a right view thereof;  
FIG. 6 is a top view thereof; and,  
FIG. 7 is a bottom view thereof.

**1 Claim, 6 Drawing Sheets**

- (56) **References Cited**  
U.S. PATENT DOCUMENTS  
D35,225 S \* 10/1901 Sheldon ..... D24/190  
766,863 A \* 8/1904 Adams ..... 602/19  
D45,984 S \* 6/1914 Bowers ..... D24/190  
2,541,487 A \* 2/1951 Triplett ..... 602/19  
2,828,737 A \* 4/1958 Hale ..... 602/19  
3,116,735 A \* 1/1964 Geimer ..... 450/2






FIG. 1




FIG.2




FIG.3




FIG.4




FIG.5




FIG. 6




FIG. 7