

US00D699538S

(12) **United States Design Patent**  
**Saunders**

(10) **Patent No.:** **US D699,538 S**

(45) **Date of Patent:** **\*\* Feb. 18, 2014**

(54) **HOLDFAST**

(71) Applicant: **Lee Valley Tools Ltd.**, Ottawa (CA)

(72) Inventor: **Terry Ross Saunders**, North Gower (CA)

(73) Assignee: **Lee Valley Tools Ltd.**, Ottawa, Ontario (CA)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/455,753**

(22) Filed: **May 23, 2013**

(51) **LOC (10) Cl.** ..... **08-05**

(52) **U.S. Cl.**  
USPC ..... **D8/72**

(58) **Field of Classification Search**  
USPC ..... D8/71-74, 394-399, 59; 248/62, 63, 248/72, 74.1, 689, 124.2; 81/487; 269/3, 4, 269/6, 143, 165, 240, 243, 246-249, 254 R, 269/147-149, 93, 94, 238; 29/256, 257, 29/276; 408/103, 104-109  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

27,592 A 3/1860 Cooper  
162,866 A 5/1875 Squire  
201,407 A 3/1878 Gordon

(Continued)

**FOREIGN PATENT DOCUMENTS**

AU 241243 5/1959  
CH 379885 7/1964  
DE 278666 11/1913

**OTHER PUBLICATIONS**

Record Bench Holdfast depicted on p. 93 of the Lee Valley Tools 1991/1992 Catalog.

(Continued)

*Primary Examiner* — David Muller

(74) *Attorney, Agent, or Firm* — Kilpatrick, Townsend & Stockton LLP; John S. Pratt; Camilla C. Williams

(57) **CLAIM**

The ornamental design for a holdfast, as shown and described.

**DESCRIPTION**

FIG. 1 is an isometric view of the front, top and right side of the design for the holdfast of this invention with the cam lever positioned just above the holdfast arm.

FIG. 2 is a front view of the design for the holdfast shown in FIG. 1. The back view is a mirror image of the front view.

FIG. 3 is a top view of the design for the holdfast shown in FIG. 1.

FIG. 4 is a right side view of the design for the holdfast shown in FIG. 1.

FIG. 5 is a left side view of the design for the holdfast shown in FIG. 1.

FIG. 6 is an isometric view of the front, top and right side of the design for the holdfast of FIG. 1 with the cam lever pivoted to a position pointing away from the holdfast arm.

FIG. 7 is a front view of the design for the holdfast shown in FIG. 6. The back view is a mirror image of the front view.


FIG. 8 is a top view of the design for the holdfast shown in FIG. 6.

FIG. 9 is a right side view of the design for the holdfast shown in FIG. 6; and,

FIG. 10 is a left side view of the design for the holdfast shown in FIG. 6.

The broken lines are included for the purpose of illustrating environment and form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**



(56)

References Cited

U.S. PATENT DOCUMENTS

1,346,504 A \* 7/1920 Mathison ..... 269/93  
2,877,815 A 3/1959 Fonken  
2,994,236 A 8/1961 McCormick  
3,380,730 A 4/1968 Carver  
3,850,421 A 11/1974 Orris  
3,993,298 A 11/1976 Marshall  
4,084,803 A 4/1978 Beekenkamp  
4,470,586 A 9/1984 Spencer  
4,867,427 A \* 9/1989 Cunningham ..... 269/93  
4,981,289 A \* 1/1991 Duval ..... 269/94  
5,181,702 A \* 1/1993 Pettigrew ..... 269/93  
5,207,030 A \* 5/1993 Herrmann ..... 269/254 R  
5,275,391 A 1/1994 Lynn et al.  
D346,608 S \* 5/1994 Leung ..... D8/72  
D375,238 S \* 11/1996 Colley ..... D8/72

D399,401 S \* 10/1998 Price et al. .... D8/72  
7,571,631 B2 \* 8/2009 Moskowitz et al. .... 269/289 R  
D652,288 S \* 1/2012 Mercier ..... D8/396  
D653,514 S \* 2/2012 Wenning ..... D8/72  
8,272,109 B2 \* 9/2012 Fratantoni ..... 248/205.4  
D682,900 S \* 5/2013 Parrott ..... D8/71

OTHER PUBLICATIONS

Bench Hold-Down depicted on p. 93 of the Lee Valley Tools 1991/92 Catalog.  
Classic Hold-Down depicted on p. 93 of the Lee Valley Tools 1991/92 Catalog.  
Cam Action Hold Down, Woodcraft, <http://www.woodcraft.com/product/2001774/8907/cam-action-hold-down.aspx>.  
Holdfasts, Gramercy Tools.  
Holdfasts, Peter Ross.

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8



**FIG. 9**



**FIG. 10**