



US00D699545S

(12) **United States Design Patent**
Ackerman et al.

(10) **Patent No.:** **US D699,545 S**
(45) **Date of Patent:** **** Feb. 18, 2014**

(54) **FASTENER**

(75) Inventors: **Bryan L. Ackerman**, Freeland, MI
(US); **Imtiaz A. Musaliar**, Racine, WI
(US); **David J. VandenBranden**,
Chicago, IL (US); **David P. Mather**,
Milwaukee, WI (US)

(73) Assignee: **S.C. Johnson & Son, Inc.**, Racine, WI
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/392,541**

(22) Filed: **May 23, 2011**

(51) **LOC (10) Cl.** **08-08**

(52) **U.S. Cl.**
USPC **D8/349**

(58) **Field of Classification Search**
USPC D8/349, 354, 382, 356, 394; 24/584.1,
24/104, 586.11, 713.6, 297, 289; 16/2.1;
411/339, 337, 913, 508-511, 45;
403/303

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

16,829 A	3/1857	French	
257,750 A *	5/1882	Parcelle	16/2.1
915,452 A	3/1909	Litts	
1,254,966 A	1/1918	Bens	
1,341,688 A	9/1919	Moss	
1,402,951 A	1/1922	Olson	
2,159,279 A	5/1939	Lipowsky et al.	
2,652,751 A	9/1953	Vogt	
2,653,752 A	9/1953	Vogt	
2,671,602 A	3/1954	Vogt	
2,681,677 A	6/1954	Poeltl	
2,688,435 A	9/1954	Vogt	
2,715,493 A	8/1955	Vogt	

2,871,901 A	2/1959	Nash	
3,124,187 A	3/1964	Bosca et al.	
3,160,936 A	12/1964	Kapp	
3,175,231 A	3/1965	Magario et al.	
3,283,992 A	11/1966	Hanson et al.	
3,400,591 A	9/1968	Larson	
3,827,551 A	8/1974	Croft	
3,887,960 A *	6/1975	Sherman	16/2.2
4,757,662 A *	7/1988	Gasser	52/410
4,761,860 A *	8/1988	Krauss	24/713.6
D297,615 S *	9/1988	Nakama	D8/382
4,995,436 A	2/1991	Cantor	
5,050,713 A	9/1991	Lee	
5,069,586 A *	12/1991	Casey	411/339
D324,305 S	3/1992	Prey	
5,092,682 A	3/1992	Fenick	
5,195,860 A *	3/1993	Steyn	411/526
5,305,935 A	4/1994	Weiner	
5,358,280 A	10/1994	Scales	
D362,176 S *	9/1995	Solbeck	D8/382
5,647,107 A	7/1997	Brewster	
5,722,126 A	3/1998	Reiter	
5,947,241 A	9/1999	Rausch	
6,006,406 A *	12/1999	Chung	24/713.6
6,012,557 A	1/2000	Derelanko	
6,223,390 B1 *	5/2001	LoTufo	16/110.1
6,224,258 B1	5/2001	Dodson	
6,233,782 B1	5/2001	Regele et al.	

(Continued)

Primary Examiner — Mark Goodwin

(57) **CLAIM**

The ornamental design for the fastener, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a fastener showing our new design.


FIG. 2 is a bottom perspective view thereof.

FIG. 3 is a bottom plan view thereof.

FIG. 4 is a top plan view thereof; and,

FIG. 5 is a side elevation view thereof.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,374,455 B1 * 4/2002 Regele et al. 16/2.1

6,471,402 B1 10/2002 Burns

6,536,951 B1 3/2003 Sill

6,575,300 B2 6/2003 Meyer et al.

6,757,945 B2 * 7/2004 Shibuya et al. 24/662

7,097,358 B2 8/2006 Keith et al.

7,100,237 B2 * 9/2006 Katayama 16/2.1

7,150,081 B2 12/2006 Juan

D586,207 S * 2/2009 Giddings D8/382

D590,702 S * 4/2009 Giddings D8/382

D595,123 S * 6/2009 Aoki D8/382

7,617,575 B2 * 11/2009 Sugihara et al. 24/691

7,752,718 B2 * 7/2010 Fisher et al. 24/114.4

8,096,017 B2 * 1/2012 Van Walraven et al. 16/2.1

8,109,672 B1 * 2/2012 Ackerman et al. 383/37

8,192,083 B2 * 6/2012 Bautista 383/9

8,308,115 B2 * 11/2012 Goto 248/205.1

2008/0031551 A1 2/2008 Jones

2009/0034885 A1 2/2009 McGruder

2009/0077842 A1 * 3/2009 Plank et al. 40/124.06

2010/0254632 A1 10/2010 Schneider

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5