



US00D699599S

(12) **United States Design Patent**
Sonnendorfer

(10) **Patent No.:** **US D699,599 S**
(45) **Date of Patent:** **** Feb. 18, 2014**

(54) **TEMPERATURE GAUGE**

(75) Inventor: **Horst Sonnendorfer**, Puchheim (DE)

(73) Assignee: **TecPoint GmbH**, Wolfratshausen (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/430,806**

(22) Filed: **Aug. 30, 2012**

(30) **Foreign Application Priority Data**

Mar. 1, 2012 (EP) 001316343

(51) **LOC (10) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/57**

(58) **Field of Classification Search**
USPC D10/52, 57; 116/216, 218;
374/141–155, 208, 209
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,799,606 A * 9/1998 Volk et al. 116/218
D548,970 S * 8/2007 Huang D3/294
D586,672 S * 2/2009 Sholley D10/57
8,480,299 B2 * 7/2013 Thompson 374/155

* cited by examiner

Primary Examiner — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Fish & Richardson P.C.

(57) **CLAIM**

The ornamental design for a temperature gauge, substantially as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a first embodiment of the temperature gauge of the present invention.

FIG. 2 is a front view of a first embodiment of the temperature gauge of the present invention.

FIG. 3 is a back view of a first embodiment of the temperature gauge of the present invention.

FIG. 4 is a right side view of a first embodiment of the temperature gauge of the present invention.

FIG. 5 is a left side view of a first embodiment of the temperature gauge of the present invention.

FIG. 6 is a top view of a first embodiment of the temperature gauge of the present invention.

FIG. 7 is a bottom view of a first embodiment of the temperature gauge of the present invention.

FIG. 8 is a front perspective view of a second embodiment of the temperature gauge of the present invention.

FIG. 9 is a front view of a second embodiment of the temperature gauge of the present invention.

FIG. 10 is a back view of a second embodiment of the temperature gauge of the present invention.

FIG. 11 is a right side view of a second embodiment of the temperature gauge of the present invention.

FIG. 12 is a left side view of a second embodiment of the temperature gauge of the present invention.

FIG. 13 is a top view of a second embodiment of the temperature gauge of the present invention.

FIG. 14 is a bottom view of a second embodiment of the temperature gauge of the present invention.

FIG. 15 is a front perspective view of a third embodiment of the temperature gauge of the present invention.

FIG. 16 is a bottom view of a third embodiment of the temperature gauge of the present invention.

FIG. 17 is a top view of a third embodiment of the temperature gauge of the present invention.


FIG. 18 is a right side view of a third embodiment of the temperature gauge of the present invention.

FIG. 19 is a left side view of a third embodiment of the temperature gauge of the present invention.

FIG. 20 is a front view of a third embodiment of the temperature gauge of the present invention; and,

FIG. 21 is a back view of a third embodiment of the temperature gauge of the present invention.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21