



US00D699727S

(12) **United States Design Patent**
Dean

(10) **Patent No.:** **US D699,727 S**
(45) **Date of Patent:** **** Feb. 18, 2014**

(54) **RFID READER**

(71) Applicant: **I.E.R., Suresnes (FR)**

(72) Inventor: **Andrew Dean, Swanwick (GB)**

(73) Assignee: **I.E.R., Suresnes (FR)**

(**) Term: **14 Years**

(21) Appl. No.: **29/457,671**

(22) Filed: **Jun. 12, 2013**

(30) **Foreign Application Priority Data**

Dec. 12, 2012 (EM) 002151720

(51) **LOC (10) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/429**

(58) **Field of Classification Search**

USPC D14/420, 426-430, 453, 346, 341, 347,
D14/412, 138; D13/107, 184; 358/473;
235/462.43, 462.45, 462.47, 462.48,
235/462.44, 462.46, 487, 472.01, 472.02,
235/145 A, 145 R; 16/110.1, 430, 431;
439/133, 135; 709/219, 201; 710/73;
320/114, 115, 123; 361/679; 382/313,
382/321; 455/575.1, 561, 572; D10/78;
324/426; D3/273; D18/7; 345/156,
345/168, 169, 172, 173, 87

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D258,166 S * 2/1981 Barthropp D21/572
D296,788 S * 7/1988 Schneider et al. D14/430
4,850,009 A * 7/1989 Zook et al. 379/93.17
D308,201 S * 5/1990 Doyle et al. D14/430
D318,658 S * 7/1991 Stoddard et al. D14/430
5,496,992 A * 3/1996 Madan et al. 235/472.02

5,498,191 A * 3/1996 DeMars 446/15
5,600,121 A * 2/1997 Kahn et al. 235/462.48
5,613,890 A * 3/1997 DeMars 446/15
5,736,726 A * 4/1998 VanHorn et al. 235/472.02
5,818,027 A * 10/1998 Paratore 235/472.01
D403,367 S * 12/1998 Lebensfeld et al. D21/574
D418,177 S * 12/1999 Lebensfeld et al. D21/574
D449,354 S * 10/2001 Hornsby et al. D21/574
D449,659 S * 10/2001 Hornsby et al. D21/574
D454,926 S * 3/2002 Hornsby et al. D21/574
D458,265 S * 6/2002 Fitch D14/429
D489,098 S * 4/2004 Byrd D21/574
6,745,943 B2 * 6/2004 Schlieffers et al. 235/472.01
6,758,403 B1 * 7/2004 Keys et al. 235/462.45
7,051,943 B2 * 5/2006 Leone et al. 235/462.45
7,161,470 B2 * 1/2007 Berquist et al. 340/10.31
D544,485 S * 6/2007 Chen et al. D14/428
D558,624 S * 1/2008 Perez et al. D10/104.1
D609,125 S * 2/2010 Perez D10/106.9
D611,862 S * 3/2010 Perez D10/106.91
D617,799 S * 6/2010 Odhe et al. D14/420
7,743,997 B2 * 6/2010 Copeland et al. 235/472.01
D632,692 S * 2/2011 Rosel et al. D14/429
8,179,267 B2 * 5/2012 Anderson et al. 340/572.9

(Continued)

Primary Examiner — Susan Moon Lee

(74) *Attorney, Agent, or Firm* — Young & Thompson

(57)


CLAIM

The ornamental design for an RFID reader, as shown and described.

DESCRIPTION

FIG. 1 is a front, left side, and top perspective view of an RFID reader showing the new design;
FIG. 2 is a rear, right side, and top perspective view thereof;
FIG. 3 is a left side elevation view thereof;
FIG. 4 is a right side elevation view thereof;
FIG. 5 is a front elevation view thereof;
FIG. 6 is a rear elevation view thereof;
FIG. 7 is a top plan view thereof; and,
FIG. 8 is a bottom plan view thereof.

1 Claim, 5 Drawing Sheets



US D699,727 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

D667,010 S * 9/2012 Firth et al. D14/426
2003/0001018 A1 * 1/2003 Hussey et al. 235/472.01
2004/0046027 A1 * 3/2004 Leone et al. 235/462.13

2004/0069851 A1 * 4/2004 Grunes et al. 235/435
2009/0090780 A1 * 4/2009 Clark et al. 235/462.01
2009/0289116 A1 * 11/2009 Copeland et al. 235/440
2012/0080526 A1 * 4/2012 Day 235/486

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8