



US00D700088S

(12) **United States Design Patent**  
**Brizard**

(10) **Patent No.:** **US D700,088 S**

(45) **Date of Patent:** **\*\* Feb. 25, 2014**

(54) **SEISMIC NODE**

*Primary Examiner* — Antoine D Davis

(71) Applicant: **CGGVeritas Services SA**, Massy Cedex (FR)

(74) *Attorney, Agent, or Firm* — Patent Portfolio Builders PLLC

(72) Inventor: **Thierry Brizard**, Massy (FR)

(57) **CLAIM**

(73) Assignee: **CGGVeritas Services SA**, Massy Cedex (FR)

The ornamental design for a seismic node, substantially as shown and described.

(\*\*) Term: **14 Years**

**DESCRIPTION**

(21) Appl. No.: **29/435,771**

(22) Filed: **Oct. 29, 2012**

(51) **LOC (10) Cl.** ..... **10-04**

(52) **U.S. Cl.**  
USPC ..... **D10/83**

(58) **Field of Classification Search**  
USPC ..... D10/83-84; 181/110, 112, 118, 120,  
181/122; 367/15, 16, 77, 78  
See application file for complete search history.

FIG. 1 is a perspective view;  
FIG. 2 is a top view;  
FIG. 3 is a bottom view;  
FIG. 4 is another bottom view;  
FIG. 5 is a side perspective view;  
FIG. 6 is front view;  
FIG. 7 is a rear view;  
FIG. 8 is another perspective view;  
FIG. 9 is another top view;  
FIG. 10 is another bottom view;  
FIG. 11 is still another bottom view;  
FIG. 12 is another side view;  
FIG. 13 is another front view; and,  
FIG. 14 is another rear view.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

6,034,923 A \* 3/2000 Wooters ..... 367/21

\* cited by examiner

**1 Claim, 6 Drawing Sheets**






Figure 1






Figure 2




Figure 3




Figure 4

Figure 5





Figure 6





Figure 7

Figure 8






Figure 9




Figure 10




Figure 11

Figure 12





Figure 13




Figure 14