



US00D700501S

(12) **United States Design Patent**
Ackerman et al.

(10) **Patent No.:** **US D700,501 S**
(45) **Date of Patent:** **** *Mar. 4, 2014**

(54) **FASTENER**

(75) Inventors: **Bryan L. Ackerman**, Freeland, MI (US); **Imtiaz A. Musaliar**, Racine, WI (US); **David J. VandenBranden**, Chicago, IL (US); **David P. Mather**, Milwaukee, WI (US)

(73) Assignee: **S.C. Johnson & Son, Inc.**, Racine, WI (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/392,544**

(22) Filed: **May 23, 2011**

(51) **LOC (10) Cl.** **08-08**

(52) **U.S. Cl.**
USPC **D8/349**

(58) **Field of Classification Search**
USPC D8/349, 354, 382, 356, 394; 24/584.1, 24/104, 586.11, 713.6, 297, 289; 16/2.1; 411/339, 337, 913, 508-511, 45; 403/303

2,681,677 A 6/1954 Poeltl
 2,688,435 A 9/1954 Vogt
 2,715,493 A 8/1955 Vogt
 2,871,901 A 2/1959 Nash
 3,124,187 A 3/1964 Bosca et al.
 3,160,936 A 12/1964 Kapp
 3,175,231 A 3/1965 Magario et al.
 3,283,992 A 11/1966 Hanson et al.
 3,400,591 A 9/1968 Larson
 3,827,551 A 8/1974 Croft
 3,887,960 A * 6/1975 Sherman 16/2.2
 4,757,662 A * 7/1988 Gasser 52/410
 4,761,860 A * 8/1988 Krauss 24/713.6
 D297,615 S * 9/1988 Nakama D8/382
 4,995,436 A 2/1991 Cantor
 5,050,713 A 9/1991 Lee
 5,069,586 A * 12/1991 Casey 411/339
 D324,305 S 3/1992 Prey
 5,092,682 A 3/1992 Fenick
 5,195,860 A * 3/1993 Steyn 411/526
 5,305,935 A 4/1994 Weiner
 5,358,280 A 10/1994 Scales
 D362,176 S * 9/1995 Solbeck D8/382
 5,647,107 A 7/1997 Brewster
 5,722,126 A 3/1998 Reiter
 5,947,241 A 9/1999 Rausch
 6,006,406 A * 12/1999 Chung 24/713.6
 6,012,557 A 1/2000 Derelanko

(Continued)

Primary Examiner — Mark Goodwin

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS


16,829 A 3/1857 French
 257,750 A * 5/1882 Parcelle 16/2.1
 915,452 A 3/1909 Litts
 1,254,966 A 1/1918 Bens
 1,341,688 A 9/1919 Moss
 1,402,951 A 1/1922 Olson
 2,159,279 A 5/1939 Lipowsky et al.
 2,652,751 A 9/1953 Vogt
 2,653,752 A 9/1953 Vogt
 2,671,602 A 3/1954 Vogt

(57) **CLAIM**
The ornamental design for the fastener, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a fastener showing our new design.
 FIG. 2 is a bottom perspective view thereof.
 FIG. 3 is a bottom plan view thereof.
 FIG. 4 is a top plan view thereof; and,
 FIG. 5 is a side elevation view thereof.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,223,390 B1 * 5/2001 LoTufo 16/110.1
 6,224,258 B1 5/2001 Dodson
 6,233,782 B1 5/2001 Regele et al.
 6,374,455 B1 * 4/2002 Regele et al. 16/2.1
 6,471,402 B1 10/2002 Burns
 6,536,951 B1 3/2003 Sill
 6,575,300 B2 6/2003 Meyer et al.
 6,757,945 B2 * 7/2004 Shibuya et al. 24/662
 7,097,358 B2 8/2006 Keith et al.
 7,100,237 B2 * 9/2006 Katayama 16/2.1
 7,150,081 B2 12/2006 Juan

D586,207 S * 2/2009 Giddings D8/382
 D590,702 S * 4/2009 Giddings D8/382
 D595,123 S * 6/2009 Aoki D8/382
 7,617,575 B2 * 11/2009 Sugihara et al. 24/691
 7,752,718 B2 * 7/2010 Fisher et al. 24/114.4
 8,096,017 B2 * 1/2012 Van Walraven et al. 16/2.1
 8,109,672 B1 * 2/2012 Ackerman et al. 383/37
 8,192,083 B2 * 6/2012 Bautista 383/9
 8,308,115 B2 * 11/2012 Goto 248/205.1
 2008/0031551 A1 2/2008 Jones
 2009/0034885 A1 2/2009 McGruder
 2009/0077842 A1 * 3/2009 Plank et al. 40/124.06
 2010/0254632 A1 10/2010 Schneider

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5