



US00D700644S

(12) **United States Design Patent**
Asano et al.

(10) **Patent No.:** **US D700,644 S**
(45) **Date of Patent:** **** Mar. 4, 2014**

- (54) **PAIR OF BINOCULARS**
- (71) Applicant: **Nikon Vision Co., Ltd.**, Tokyo (JP)
- (72) Inventors: **Hiroyuki Asano**, Tokyo (JP); **Tatsuya Kobayashi**, Tokyo (JP)
- (73) Assignee: **Nikon Vision Co., Ltd.**, Tokyo (JP)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/443,870**
- (22) Filed: **Jan. 23, 2013**
- (51) **LOC (10) Cl.** **16-06**
- (52) **U.S. Cl.**
USPC **D16/133**
- (58) **Field of Classification Search**
USPC D16/133, 130, 136; 359/416-420, 804,
359/809, 816, 835, 831; D21/483
See application file for complete search history.

D687,081 S * 7/2013 Radau et al. D16/133

* cited by examiner

Primary Examiner — Paula Greene

(74) *Attorney, Agent, or Firm* — Wolf, Greenfield & Sacks, P.C.; Randy J. Pritzker

(57) **CLAIM**

The ornamental design for a pair of binoculars, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of a first embodiment of a pair of binoculars showing our new design; FIG. 2 is a rear, bottom and left side perspective view thereof; FIG. 3 is a front view thereof; FIG. 4 is a rear view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is a bottom plan view thereof; FIG. 7 is a right side view thereof; FIG. 8 is a left side view thereof; FIG. 9 is a front, top and right side perspective view of a second embodiment of a pair of binoculars showing our new design; FIG. 10 is a rear, bottom and left side perspective view thereof; FIG. 11 is a front view thereof; FIG. 12 is a rear view thereof; FIG. 13 is a top plan view thereof; FIG. 14 is a bottom plan view thereof; FIG. 15 is a right side view thereof; and, FIG. 16 is a left side view thereof.

The features shown in broken lines in the drawings depict environmental subject matter only and form no part of the claimed design. The dashed-dotted lines denote the boundary of the claim and form no part of the claimed design.

1 Claim, 12 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

D223,298	S	*	4/1972	Senda et al.	D16/133
4,329,013	A	*	5/1982	Hengst	359/418
5,064,279	A	*	11/1991	Riedl	359/416
D359,972	S	*	7/1995	Takahashi	D16/133
D412,177	S	*	7/1999	Fujii	D16/133
6,542,294	B2	*	4/2003	Funatsu	359/407
D486,507	S	*	2/2004	Fujii	D16/133
D492,335	S	*	6/2004	Watanabe	D16/133
D492,711	S	*	7/2004	Watanabe	D16/133
D503,730	S	*	4/2005	Hamamura	D16/133
D523,047	S	*	6/2006	Swift et al.	D16/133
D523,885	S	*	6/2006	Hayashi	D16/133
D551,272	S	*	9/2007	Fujii	D16/133
D575,315	S	*	8/2008	Inaba	D16/133
D590,857	S	*	4/2009	Fujii	D16/133
D602,059	S	*	10/2009	Inaba	D16/133
D646,311	S	*	10/2011	Hoelbl	D16/133





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16

