



US00D700829S

(12) **United States Design Patent**  
**Nanbu et al.**

(10) **Patent No.:** **US D700,829 S**  
(45) **Date of Patent:** **\*\* Mar. 11, 2014**

(54) **HOOK**  
(71) Applicant: **YKK Corporation**, Tokyo (JP)  
(72) Inventors: **Madoka Nanbu**, Toyama (JP); **Yu Hashimoto**, Tokyo (JP)  
(73) Assignee: **YKK Corporation** (JP)  
(\*\*) Term: **14 Years**  
(21) Appl. No.: **29/461,278**  
(22) Filed: **Jul. 21, 2013**

D494,452 S \* 8/2004 Sheldon et al. .... D8/367  
D511,088 S \* 11/2005 Chiu ..... D8/367  
D538,137 S \* 3/2007 Dukes ..... D8/356  
D556,021 S \* 11/2007 Sexton ..... D8/356  
D566,532 S \* 4/2008 Wolff ..... D8/367  
D571,190 S \* 6/2008 Spadotto ..... D8/356  
D602,767 S \* 10/2009 Chiu ..... D8/367  
D603,688 S \* 11/2009 Chiu ..... D8/367  
D609,995 S \* 2/2010 Hager et al. .... D8/367  
D622,080 S \* 8/2010 Sisney et al. .... D6/446  
D635,846 S \* 4/2011 Klein et al. .... D8/372  
D641,614 S \* 7/2011 Pontaoe ..... D8/394  
D661,573 S \* 6/2012 Paik et al. .... D8/367  
D668,530 S \* 10/2012 Bermudez et al. .... D8/372  
8,387,217 B1 \* 3/2013 Hinds et al. .... 24/265 H  
D679,172 S \* 4/2013 Dixon ..... D8/354  
D682,663 S \* 5/2013 Evon ..... D8/367  
D688,118 S \* 8/2013 Hobson ..... D8/356

(30) **Foreign Application Priority Data**  
Jan. 29, 2013 (JP) ..... 2013-001605  
(51) **LOC (10) Cl.** ..... **08-05**  
(52) **U.S. Cl.**  
USPC ..... **D8/367**  
(58) **Field of Classification Search**  
USPC ..... D8/367, 354, 349, 373, 372; D6/323;  
248/301-304, 339, 205.3, 217.2, 493,  
248/215; 411/431, 372.5; 24/698.1, 265 H,  
24/265 R, 599.1, 599.8, 113 R; 294/16,  
294/82.18; 138/106; D23/200; 160/349.2;  
223/106  
See application file for complete search history.

**FOREIGN PATENT DOCUMENTS**

EP 0181084 A1 5/1986  
JP 2001-078832 A 3/2001

\* cited by examiner

*Primary Examiner* — Cynthia Underwood  
(74) *Attorney, Agent, or Firm* — Kilpatrick Townsend & Stockton LLP

(57) **CLAIM**  
The ornamental design for a hook, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the front, top and right side of a hook showing our new design;  
FIG. 2 is a front view thereof;  
FIG. 3 is a rear view thereof;  
FIG. 4 is a left side view thereof;  
FIG. 5 is a right side view thereof;  
FIG. 6 is a top plan view thereof; and,  
FIG. 7 is a bottom view thereof.

**1 Claim, 7 Drawing Sheets**

(56) **References Cited**  
**U.S. PATENT DOCUMENTS**  
1,886,882 A \* 11/1932 Huber ..... 24/698.1  
D189,487 S \* 12/1960 Gale ..... D8/367  
4,026,510 A \* 5/1977 Holmes ..... 248/493  
D247,216 S \* 2/1978 Mathews ..... D8/356  
D289,139 S \* 4/1987 Chasen ..... D8/367  
5,207,403 A \* 5/1993 Penniman ..... 248/215  
D374,602 S \* 10/1996 Protz, Jr. .... D8/367  
D393,412 S \* 4/1998 Bries et al. .... D8/367




Fig. 1




Fig. 2




Fig. 3






Fig. 4




Fig. 5




Fig. 6




Fig. 7

