



US00D700878S

(12) **United States Design Patent**
Takemoto

(10) **Patent No.:** **US D700,878 S**
(45) **Date of Patent:** **** Mar. 11, 2014**

(54) **TIRE FOR AUTOMOBILE**

(71) Applicant: **The Goodyear Tire & Rubber Company, Akron, OH (US)**

(72) Inventor: **Yoshiaki Takemoto, Hyogo (JP)**

(73) Assignee: **The Goodyear Tire & Rubber Company, Akron, OH (US)**

(**) Term: **14 Years**

(21) Appl. No.: **29/438,145**

(22) Filed: **Nov. 27, 2012**

(30) **Foreign Application Priority Data**

Jun. 26, 2012 (JP) 2012-015034

(51) **LOC (10) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/523**

(58) **Field of Classification Search**
USPC D12/505-532, 900-901;
152/209.1-209.9, 209.11-209.19,
152/209.21-209.28, 455
See application file for complete search history.

D586,733 S	2/2009	Shinohara	D12/588
D593,931 S *	6/2009	Fontaine et al.	D12/523
D595,220 S	6/2009	Maxwell	D12/590
D599,276 S	9/2009	Fontaine et al.	D12/519
D601,939 S	10/2009	Fontaine et al.	D12/519
D609,161 S	2/2010	Fontaine et al.	D12/517
D619,080 S *	7/2010	Woidtke et al.	D12/523
D626,910 S *	11/2010	Bott et al.	D12/523
D630,998 S *	1/2011	Schmalix et al.	D12/519
D634,262 S	3/2011	Kujime	D12/521
D644,593 S *	9/2011	Fontaine et al.	D12/523
D646,626 S	10/2011	Murata	D12/586
D648,668 S *	11/2011	Kujime	D12/523
D659,075 S *	5/2012	Harvey et al.	D12/521
D659,633 S	5/2012	Bindner et al.	D12/521
D666,551 S *	9/2012	Schmidt-Zum Berge	D12/523
		et al.	D12/523
D667,358 S	9/2012	Fontaine et al.	D12/518
D667,360 S *	9/2012	Ishida et al.	D12/523
D668,598 S *	10/2012	Hughes et al.	D12/521
D673,894 S *	1/2013	Hughes et al.	D12/521
D686,139 S *	7/2013	Chartier et al.	D12/521

* cited by examiner

Primary Examiner — Stacia Cadmus
(74) *Attorney, Agent, or Firm* — Richard B. O'Planick

(57) **CLAIM**
The ornamental design for a tire for automobile, as shown and described.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D334,360 S	3/1993	Graas et al.	D12/146
D368,687 S	4/1996	Hayashi	D12/147
D423,422 S	4/2000	Selover et al.	D12/146
D427,551 S	7/2000	Weber	D12/141
D432,956 S *	10/2000	Ricquet	D12/521
D451,440 S	12/2001	Weber	D12/146
D470,101 S	2/2003	Heinen	D12/584
D490,045 S	5/2004	Delu et al.	D12/519
D560,600 S	1/2008	Dixon et al.	D12/588
D584,213 S	1/2009	Shinkai	D12/519

DESCRIPTION

FIG. 1 is a perspective view of a tire for automobile showing my new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a right side elevational view thereof;
FIG. 4 is a left side elevational view thereof; and,
FIG. 5 is an enlarged fragmentary front elevational view thereof.

1 Claim, 5 Drawing Sheets





FIG - 1



FIG - 2




FIG - 3




FIG - 4




FIG - 5