



US00D700878S

(12) **United States Design Patent**  
**Takemoto**

(10) **Patent No.:** **US D700,878 S**  
(45) **Date of Patent:** **\*\* Mar. 11, 2014**

- (54) **TIRE FOR AUTOMOBILE**
- (71) Applicant: **The Goodyear Tire & Rubber Company, Akron, OH (US)**
- (72) Inventor: **Yoshiaki Takemoto, Hyogo (JP)**
- (73) Assignee: **The Goodyear Tire & Rubber Company, Akron, OH (US)**
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/438,145**
- (22) Filed: **Nov. 27, 2012**
- (30) **Foreign Application Priority Data**  
  - Jun. 26, 2012 (JP) ..... 2012-015034
- (51) **LOC (10) Cl.** ..... **12-15**
- (52) **U.S. Cl.**  
USPC ..... **D12/523**
- (58) **Field of Classification Search**  
USPC ..... D12/505-532, 900-901;  
152/209.1-209.9, 209.11-209.19,  
152/209.21-209.28, 455  
See application file for complete search history.

D586,733 S	2/2009	Shinohara .....	D12/588
D593,931 S *	6/2009	Fontaine et al. ....	D12/523
D595,220 S	6/2009	Maxwell .....	D12/590
D599,276 S	9/2009	Fontaine et al. ....	D12/519
D601,939 S	10/2009	Fontaine et al. ....	D12/519
D609,161 S	2/2010	Fontaine et al. ....	D12/517
D619,080 S *	7/2010	Woidtke et al. ....	D12/523
D626,910 S *	11/2010	Bott et al. ....	D12/523
D630,998 S *	1/2011	Schmalix et al. ....	D12/519
D634,262 S	3/2011	Kujime .....	D12/521
D644,593 S *	9/2011	Fontaine et al. ....	D12/523
D646,626 S	10/2011	Murata .....	D12/586
D648,668 S *	11/2011	Kujime .....	D12/523
D659,075 S *	5/2012	Harvey et al. ....	D12/521
D659,633 S	5/2012	Bindner et al. ....	D12/521
D666,551 S *	9/2012	Schmidt-Zum Berge et al. ....	D12/523
D667,358 S	9/2012	Fontaine et al. ....	D12/518
D667,360 S *	9/2012	Ishida et al. ....	D12/523
D668,598 S *	10/2012	Hughes et al. ....	D12/521
D673,894 S *	1/2013	Hughes et al. ....	D12/521
D686,139 S *	7/2013	Chartier et al. ....	D12/521

\* cited by examiner

*Primary Examiner* — Stacia Cadmus  
(74) *Attorney, Agent, or Firm* — Richard B. O'Planick

(57) **CLAIM**  
The ornamental design for a tire for automobile, as shown and described.

(56) **References Cited**  
U.S. PATENT DOCUMENTS

D334,360 S	3/1993	Graas et al. ....	D12/146
D368,687 S	4/1996	Hayashi .....	D12/147
D423,422 S	4/2000	Selover et al. ....	D12/146
D427,551 S	7/2000	Weber .....	D12/141
D432,956 S *	10/2000	Ricquet .....	D12/521
D451,440 S	12/2001	Weber .....	D12/146
D470,101 S	2/2003	Heinen .....	D12/584
D490,045 S	5/2004	Delu et al. ....	D12/519
D560,600 S	1/2008	Dixon et al. ....	D12/588
D584,213 S	1/2009	Shinkai .....	D12/519

**DESCRIPTION**

FIG. 1 is a perspective view of a tire for automobile showing my new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a right side elevational view thereof;  
FIG. 4 is a left side elevational view thereof; and,  
FIG. 5 is an enlarged fragmentary front elevational view thereof.

**1 Claim, 5 Drawing Sheets**





FIG - 1



FIG - 2




FIG - 3




FIG - 4




FIG - 5