



US00D700929S

(12) **United States Design Patent**
McNeal

(10) **Patent No.:** **US D700,929 S**
(45) **Date of Patent:** **** Mar. 11, 2014**

- (54) **GOGGLE**
- (71) Applicant: **Smith Optics, Inc.**, Ketchum, ID (US)
- (72) Inventor: **Joseph R. McNeal**, Hailey, ID (US)
- (73) Assignee: **Smith Optics, Inc.**, Ketchum, ID (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/459,826**
- (22) Filed: **Jul. 3, 2013**
- (51) **LOC (10) Cl.** **16-06**
- (52) **U.S. Cl.**
USPC **D16/312**
- (58) **Field of Classification Search**
USPC D16/101, 300-342, 900; D29/109-110;
351/41, 44, 51-52, 62, 158, 92,
351/103-123, 140-153, 45-46; 2/426-432,
2/447-449, 441, 434-437, 13, 15;
D21/483, 659-661; D14/372
See application file for complete search history.

- 5,245,709 A * 9/1993 Shipcott 2/425
- 5,363,512 A * 11/1994 Grabos et al. 2/436
- 5,689,834 A * 11/1997 Wilson 2/436
- 5,929,963 A * 7/1999 McNeal 351/47
- 6,601,240 B2 * 8/2003 Tsubooka 2/436
- D552,662 S * 10/2007 Woxing D16/312

* cited by examiner

Primary Examiner — Raphael Barkai
(74) *Attorney, Agent, or Firm* — Dorsey & Whitney LLP


(57) **CLAIM**
The ornamental design of the goggle, as shown and described.

DESCRIPTION

FIG. 1 is a front isometric view of a goggle;
FIG. 2 is a front view of the goggle of FIG. 1;
FIG. 3 is a side view of the goggle of FIG. 1;
FIG. 4 is a bottom view of the goggle of FIG. 1.
FIG. 5 is a top view of the goggle of FIG. 1; and,
FIG. 6 is a rear isometric view of the goggle of FIG. 1.
The broken lines, if any, are provided for illustrative purposes only, and form no part of the claimed design. In addition, shadings are provided for illustrative purposes only, and do not form any portion of the claimed design.

1 Claim, 6 Drawing Sheets

- (56) **References Cited**
U.S. PATENT DOCUMENTS
D149,713 S * 5/1948 Welvang D16/312
D319,449 S * 8/1991 Millar D16/312






FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6